



**REPUBLIC OF SEYCHELLES**

**HEALTH STATISTICS  
2004**

Health Statistics Unit  
Division of Health Planning and Information  
Ministry of Health  
PO Box 52  
Victoria  
Seychelles

**MID YEAR POPULATION ESTIMATES,  
BIRTHS AND DEATHS 1960 TO 2003**

**Table 1**

Year	Mid-Year Population	No. of Births	Birth (1) Rate	No. of Deaths	Death (1) Rate	Infant Deaths	Infant (2) Mortality Rate	Natural Increase	Population Growth Rate
1960	41,662	1,714	41.1	450	10.8	99	57.76	1,264	
1961	42,936	1,775	41.3	574	13.4	101	56.90	1,201	3.0%
1962	43,748	1,733	39.6	505	11.5	70	40.39	1,228	1.9%
1963	45,049	1,855	41.2	513	11.4	116	62.53	1,342	2.9%
1964	46,472	1,867	40.2	485	10.4	82	43.92	1,382	3.1%
1965	47,424	1,772	37.4	563	11.9	104	58.69	1,209	2.0%
1966	48,354	1,895	39.2	515	10.7	78	41.16	1,380	1.9%
1967	49,361	1,827	37.0	536	10.9	79	43.24	1,291	2.1%
1968	50,509	1,738	34.4	538	10.7	85	48.91	1,200	2.3%
1969	51,796	1,715	33.1	561	10.8	86	50.15	1,154	2.5%
1970	53,291	1,660	31.1	437	8.2	66	39.76	1,223	2.8%
1971	54,695	1,837	33.6	463	8.5	61	33.21	1,374	2.6%
1972	56,029	1,723	30.8	529	9.4	62	35.98	1,194	2.4%
1973	56,892	1,639	28.8	474	8.3	51	31.12	1,165	1.5%
1974	57,937	1,860	32.1	496	8.6	73	39.25	1,364	1.8%
1975	59,292	1,806	30.5	433	7.3	64	35.44	1,373	2.3%
1976	60,504	1,642	27.1	466	7.7	53	32.28	1,176	2.0%
1977	61,786	1,599	25.9	477	7.7	69	43.15	1,122	2.1%
1978	62,150	1,796	28.9	466	7.5	47	26.17	1,330	0.6%
1979	62,686	1,730	27.6	436	7.0	44	25.43	1,294	0.9%
1980	63,261	1,830	28.9	444	7.0	32	17.49	1,386	0.9%
1981	64,035	1,802	28.1	442	6.9	31	17.20	1,360	1.2%
1982	64,413	1,552	24.1	482	7.5	30	19.33	1,070	0.6%
1983	64,335	1,662	25.8	452	7.0	24	14.44	1,210	-0.1%
1984	64,717	1,739	26.9	487	7.5	24	13.80	1,252	0.6%
1985	65,244	1,729	26.5	468	7.2	31	17.93	1,261	0.8%
1986	65,652	1,722	26.2	498	7.6	31	18.00	1,224	0.6%
1987 (3)	68,499	1,684	24.6	505	7.4	31	18.41	1,179	4.2%
1988	68,755	1,643	23.9	504	7.3	28	17.04	1,139	0.4%
1989	69,167	1,600	23.1	566	8.2	29	18.13	1,034	0.6%
1990	69,507	1,617	23.3	543	7.8	21	12.99	1,074	0.5%
1991 (4)	70,439	1,706	24.2	542	7.7	22	12.90	1,164	1.3%
1992 (5)	70,763	1,601	22.6	522	7.4	19	11.87	1,079	0.5%
1993	72,253	1,689	23.4	597	8.3	22	13.03	1,092	2.1%
1994 (6)	74,205	1,700	22.9	562	7.6	15	8.82	1,138	2.7%
1995	75,304	1,582	21.0	525	7.0	29	18.33	1,057	1.5%
1996	76,417	1,611	21.1	566	7.4	15	9.31	1,045	1.5%
1997	77,319	1,475	19.1	603	7.8	12	8.14	872	1.2%
1998 (7)	78,845	1,412	17.9	570	7.2	12	8.50	842	2.0%
1999	80,410	1,460	18.2	560	7.0	15	10.27	900	2.0%
2000	81,131	1,512	18.6	553	6.8	15	9.92	959	0.9%
2001	81,202	1,440	17.7	554	6.8	19	13.19	886	0.1%
2002	83,723	1,481	17.7	647	7.7	26	17.56	834	3.1%
2003	82,781	1,498	18.1	668	8.1	24	16.02	830	-1.1%
2004	82,475	1,436	17.4	611	7.4	17	11.84	825	-0.4%

Source: Management and Information Systems Division/Civil Status Office

- Notes:
- (1) Measured per thousand of mid-year population
  - (2) Deaths of Infants under one year of age per 1000 live births
  - (3) The mid-year population estimates for 1987-1993 and onwards have been rebased using the 1987 census data
  - (4) 2 persons aged 36 & 37 years who were registered in 1991 are not included in births in this table
  - (5) 2 persons aged 27 & 50 years who were registered in 1992 are not included in births in this table
  - (6) The Population has been rebased using the results of the 1994 Census results

**MID-YEAR POPULATION OF SEYCHELLES BY SEX AND AGE GROUPS 0-14, 15-64 AND 65+  
FOR THE YEARS 1977 TO 2004**

Table 2

Year	Age Group 0-14 years				Age Group 15-64 years				Age Group 65+ years				All Ages			
	Male	Female	Total	%	Male	Female	Total	%	Male	Female	Total	%	Male	Female	Total	%
1977	12,354	12,243	24,597	39.8%	17,130	16,079	33,209	53.7%	1,641	2,339	3,980	6.4%	31,125	30,661	61,786	100.0%
1978	12,318	12,158	24,476	39.4%	17,413	16,270	33,683	54.2%	1,639	2,352	3,991	6.4%	31,370	30,780	62,150	100.0%
1979	12,297	12,143	24,440	39.0%	17,747	16,500	34,247	54.6%	1,650	2,349	3,999	6.4%	31,694	30,992	62,686	100.0%
1980	12,214	12,085	24,299	38.4%	18,085	16,771	34,856	55.1%	1,666	2,440	4,106	6.5%	31,965	31,296	63,261	100.0%
1981	12,233	12,017	24,250	37.9%	18,346	17,276	35,622	55.6%	1,668	2,495	4,163	6.5%	32,247	31,788	64,035	100.0%
1982	12,176	11,907	24,083	37.4%	18,503	17,665	36,168	56.2%	1,643	2,516	4,159	6.5%	32,322	32,088	64,410	100.0%
1983	12,084	11,665	23,749	36.9%	18,506	17,908	36,414	56.6%	1,622	2,550	4,172	6.5%	32,212	32,123	64,335	100.0%
1984	12,153	11,642	23,795	36.8%	18,513	18,263	36,776	56.8%	1,588	2,558	4,146	6.4%	32,254	32,463	64,717	100.0%
1985	12,112	11,675	23,787	36.5%	18,860	18,434	37,294	57.2%	1,565	2,598	4,163	6.4%	32,537	32,707	65,244	100.0%
1986	12,173	11,704	23,877	36.4%	18,932	18,655	37,587	57.3%	1,532	2,657	4,189	6.4%	32,637	33,016	65,653	100.0%
1987	12,021	11,681	23,702	35.7%	19,520	18,928	38,448	57.9%	1,546	2,674	4,220	6.4%	33,087	33,283	66,370	100.0%
1988	11,971	11,578	23,549	35.3%	19,736	19,040	38,776	58.2%	1,580	2,721	4,301	6.5%	33,287	33,339	66,626	100.0%
1989	11,975	11,561	23,536	35.1%	19,969	19,215	39,184	58.5%	1,546	2,772	4,318	6.4%	33,490	33,548	67,038	100.0%
1990	11,830	11,428	23,258	34.5%	20,213	19,682	39,895	59.2%	1,484	2,741	4,225	6.3%	33,527	33,851	67,378	100.0%
1991	11,531	11,319	22,850	32.4%	21,373	21,185	42,558	60.4%	2,010	3,020	5,030	7.1%	34,914	35,524	70,438	100.0%
1992	11,453	11,189	22,642	32.0%	21,609	21,484	43,093	60.9%	1,993	3,035	5,028	7.1%	35,055	35,708	70,763	100.0%
1993	11,519	11,254	22,773	31.5%	22,485	22,035	44,520	61.6%	1,897	3,063	4,960	6.9%	35,901	36,352	72,253	100.0%
1994	11,571	11,330	22,901	31.0%	23,532	22,430	45,962	62.2%	1,880	3,107	4,987	6.8%	36,983	36,867	73,850	100.0%
1995	11,486	11,118	22,604	30.0%	23,521	23,723	47,244	62.7%	2,143	3,311	5,454	7.2%	37,150	38,152	75,302	100.0%
1996	11,387	11,010	22,397	29.3%	24,351	24,079	48,430	63.4%	2,185	3,405	5,590	7.3%	37,923	38,494	76,417	100.0%
1997	11,273	10,833	22,106	28.6%	25,084	24,458	49,542	64.1%	2,188	3,483	5,671	7.3%	38,545	38,774	77,319	100.0%
1998	11,140	10,679	21,819	27.7%	25,996	25,256	51,252	65.0%	2,221	3,553	5,774	7.3%	39,357	39,488	78,845	100.0%
1999	10,974	10,547	21,521	26.8%	27,002	26,035	53,037	66.0%	2,223	3,629	5,852	7.3%	40,199	40,211	80,410	100.0%
2000	10,828	10,472	21,300	26.3%	27,238	26,695	53,933	66.5%	2,183	3,714	5,897	7.3%	40,249	40,881	81,130	100.0%
2001	10,769	10,481	21,250	26.2%	27,025	26,952	53,977	66.5%	2,188	3,796	5,984	7.4%	39,982	41,229	81,211	100.0%
2002	10,970	10,558	21,528	25.7%	28,510	27,241	55,751	66.6%	2,510	3,934	6,444	7.7%	41,990	41,733	83,723	100.0%
2003	10,789	10,308	21,097	25.5%	27,600	27,641	55,241	66.7%	2,470	3,973	6,443	7.8%	40,859	41,922	82,781	100.0%
2004	10,593	10,154	20,747	25.2%	27,548	27,645	55,193	66.9%	2,510	4,024	6,534	7.9%	40,651	41,823	82,474	100.0%

Source : Statistics Unit - Department of Health/ National Statistics Bureau

## SEYCHELLES DEATHS BY AGE AND SEX 2004

Table 3

Age	Male	Female	Total	Age	Male	Female	Total	Age	Male	Female	Total
0	4	13	17	35	2	1	3	70	7	5	12
1	0	2	2	36	2	0	2	71	6	6	12
2	1	0	1	37	1	1	2	72	9	8	17
3	1	0	1	38	7	0	7	73	10	8	18
4	0	0	0	39	1	1	2	74	9	2	11
<b>1-4</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>35-39</b>	<b>13</b>	<b>3</b>	<b>16</b>	<b>70-74</b>	<b>41</b>	<b>29</b>	<b>70</b>
5	0	0	0	40	4	2	6	75	8	9	17
6	0	0	0	41	2	1	3	76	5	11	16
7	0	0	0	42	6	1	7	77	6	6	12
8	1	0	1	43	4	1	5	78	11	7	18
9	0	0	0	44	2	2	4	79	13	8	21
<b>5-9</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>40-44</b>	<b>18</b>	<b>7</b>	<b>25</b>	<b>75-79</b>	<b>43</b>	<b>41</b>	<b>84</b>
10	0	0	0	45	3	0	3	80	9	12	21
11	0	0	0	46	4	3	7	81	10	5	15
12	0	0	0	47	6	0	6	82	7	8	15
13	0	0	0	48	6	2	8	83	6	7	13
14	0	0	0	49	2	2	4	84	5	7	12
<b>10-14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>45-49</b>	<b>21</b>	<b>7</b>	<b>28</b>	<b>80-84</b>	<b>37</b>	<b>39</b>	<b>76</b>
15	1	1	2	50	4	0	4	85	3	6	9
16	0	0	0	51	0	2	2	86	2	8	10
17	0	0	0	52	5	1	6	87	1	11	12
18	1	0	1	53	7	1	8	88	4	11	15
19	3	0	3	54	9	3	12	89	6	5	11
<b>15-19</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>50-54</b>	<b>25</b>	<b>7</b>	<b>32</b>	<b>85-89</b>	<b>16</b>	<b>41</b>	<b>57</b>
20	3	0	3	55	8	3	11	90	1	6	7
21	2	0	2	56	2	2	4	91	1	6	7
22	1	1	2	57	8	3	11	92	4	1	5
23	3	0	3	58	5	2	7	93	0	3	3
24	0	2	2	59	4	3	7	94	0	1	1
<b>20-24</b>	<b>9</b>	<b>3</b>	<b>12</b>	<b>55-59</b>	<b>27</b>	<b>13</b>	<b>40</b>	<b>90-94</b>	<b>6</b>	<b>17</b>	<b>23</b>
25	1	2	3	60	2	5	7	95	1	3	4
26	0	0	0	61	4	5	9	96	1	4	5
27	2	2	4	62	6	3	9	97	0	3	3
28	1	0	1	63	4	3	7	98	0	2	2
29	0	0	0	64	5	5	10	99	0	0	0
<b>25-29</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>60-64</b>	<b>21</b>	<b>21</b>	<b>42</b>	<b>95-99</b>	<b>2</b>	<b>12</b>	<b>14</b>
30	3	0	3	65	3	2	5	<b>100+</b>	<b>1</b>	<b>1</b>	<b>2</b>
31	1	1	2	66	6	1	7				
32	1	0	1	67	4	1	5	<b>All</b>			
33	2	1	3	68	3	4	7	<b>Ages</b>	<b>330</b>	<b>281</b>	<b>611</b>
34	2	1	3	69	9	9	18				
<b>30-34</b>	<b>9</b>	<b>3</b>	<b>12</b>	<b>65-69</b>	<b>25</b>	<b>17</b>	<b>42</b>				

Source: Statistics Unit - Division Health Planning and Information /  
Department of Health

**STATISTICS ON INFANTS, NEONATAL, PERINATAL, STILLBIRTHS  
AND CHILD DEATHS IN SEYCHELLES FROM 1985 TO 2004**

Table 4

YEARS	No. of Regist Births	No. of Infant Deaths	Infant Mortality Rate ('000)	Early Neonatal Deaths	Late Neonatal Deaths	Post Neonatal Deaths	Neonatal Deaths	Neonatal Mortality Rate ('000)	No. of Still- Births	Perinatal Mortality Rate ('000)	Child Deaths	No. of Children*	Child Mortality Rate ('000)**
1985	1729	31	17.9	25	2	4	27	15.6	25	28.5	9	6474	1.4
1986	1722	31	18.0	26	1	4	27	15.7	19	25.8	1	6505	0.1
1987	1684	32	19.0	20	8	4	28	16.6	16	21.2	7	6479	1.1
1988	1643	28	17.0	19	4	5	23	14.0	23	25.2	9	6587	1.4
1989	1600	27	16.9	25	1	1	26	16.2	23	29.6	2	6550	0.3
1990	1617	21	13.0	13	5	3	18	11.1	18	19.0	7	6475	1.1
1991	1708	22	12.9	17	3	3	20	11.7	7	14.0	3	6213	0.5
1992	1603	19	11.9	13	2	4	15	9.4	17	18.5	4	6374	0.6
1993	1689	22	13.0	16	3	3	19	11.2	14	17.6	8	6308	1.3
1994	1700	15	8.8	7	4	4	11	6.5	8	8.8	2	6340	0.3
1995	1582	29	18.3	17	3	9	20	12.6	15	20.1	3	6061	0.5
1996	1611	15	9.3	8	2	5	10	6.2	18	16.0	3	6012	0.5
1997	1475	12	8.1	7	2	3	9	6.1	12	12.8	4	6030	0.7
1998	1412	12	8.5	6	2	4	8	5.0	13	13.3	5	6111	0.8
1999	1460	15	10.3	7	2	5	9	6.2	11	12.2	1	5966	0.2
2000	1512	15	9.9	7	6	2	13	8.6	12	12.5	5	5776	0.9
2001	1440	19	13.2	10	4	5	14	9.7	9	13.1	3	5698	0.5
2002	1481	26	17.6	9	13	4	22	14.9	15	16.0	1	6923	0.1
2003	1498	24	16.0	14	6	4	20	13.3	18	21.1	3	5481	0.5
2004	1436	17	11.8	10	2	5	12	8.4	7	17.0	4	5331	0.8

Source Statistics Unit - Department of Health/Civil Status/National Statistics Bureau

Note : \* Estimated mid-year population figures

\*\* Expressed as per 1000 children aged 1 to 4 years

Table 5

**DEATHS IN THE REPUBLIC OF SEYCHELLES BY CAUSE,  
AGE GROUPS (IN YEARS) AND SEX FOR 2004**

ICD CODES(a)	Description	BOTH SEXES	TOTAL %	TOTAL		0		1-4		5-14		15-24		25-34		35-44		45-54		55-64		65-74		75-84		85+		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
1-003	Diarrhoea and gastroenteritis of presumed infectious origin	1	0.2%	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1-012	Septicaemia	38	6.2%	15	23	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0	1	7	6	5	9	1	5	
1-019	Viral hepatitis	1	0.2%	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
1-020	Human immunodeficiency virus [HIV]	3	0.5%	2	1	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
1-025	Remainder of certain infectious and parasitic diseases	6	1.0%	6	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	2	0	0	0	0	0	0	
1-027	Malignant neoplasm of lip, oral cavity and pharynx	9	1.5%	8	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	0	1	1	2	0	0	0	
1-028	Malignant neoplasm of oesophagus	3	0.5%	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	
1-029	Malignant neoplasm of stomach	6	1.0%	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	1	0	1	0	
1-030	Malignant neoplasm of colon, rectum and anus	12	2.0%	7	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	0	2	4	0	0	
1-032	Malignant neoplasm of pancreas	8	1.3%	4	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1	1	1	1	1	
1-033	Malignant neoplasm of larynx	2	0.3%	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	
1-034	Malignant neoplasm of trachea, bronchus and lungs	17	2.8%	13	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1	5	1	5	1	0	1	
1-036	Malignant neoplasm of breast	9	1.5%	0	9	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	2	0	1	0	2	
1-037	Malignant neoplasm of cervix uteri	3	0.5%	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	
1-038	Malignant neoplasm of other and unspecified parts of uterus	3	0.5%	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	
1-039	Malignant neoplasm of ovary	5	0.8%	0	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	1	0	0	

Table 5

**DEATHS IN THE REPUBLIC OF SEYCHELLES BY CAUSE,  
AGE GROUPS (IN YEARS) AND SEX FOR 2004**

ICD CODES(a)	Description	BOTH SEXES	%	TOTAL		0		1-4		5-14		15-24		25-34		35-44		45-54		55-64		65-74		75-84		85+			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1-040	Malignant neoplasm of prostate	14	2.3%	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4	0	7	0	1	0			
1-041	Malignant neoplasm of bladder	1	0.2%	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
1-042	Malignant neoplasm of meninges brain and other parts of central nervous system	3	0.5%	1	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0	
1-043	Non-Hodgkin's lymphoma	2	0.3%	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	
1-045	Leukaemia	1	0.2%	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
1-046	Remainder of malignant neoplasms	9	1.5%	6	3	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1	1	0	1	1	0	1		
1-047	Remainder of neoplasms	1	0.2%	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
1-048	Disease of the blood and blood-forming organs and certain disorders involving the immune mechanism	1	0.2%	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1-049	Anaemias	7	1.1%	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	1	1	1	
1-050	Remainder of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	1	0.2%	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
1-051	Endocrine, nutritional and methabolic diseases	1	0.2%	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
1-052	Diabetes mellitus	12	2.0%	4	8	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2	2	4	0	1	0	
1-053	Malnutrition	2	0.3%	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
1-054	Remainder of endocrine, nutritional and metabolic diseases	1	0.2%	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
1-056	Mental and behavioural disorders due to psychoactive substance use	2	0.3%	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	

Table 5

**DEATHS IN THE REPUBLIC OF SEYCHELLES BY CAUSE,  
AGE GROUPS (IN YEARS) AND SEX FOR 2004**

ICD CODES(a)	Description	BOTH SEXES	TOTAL %	TOTAL		0		1-4		5-14		15-24		25-34		35-44		45-54		55-64		65-74		75-84		85+		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
1-057	Remainder of mental and behavioural disorders	2	0.3%	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
1-059	Meningitis	2	0.3%	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
1-061	Remainder of diseases of the nervous system	5	0.8%	2	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	1	0	0	1	
1-066	Hypertensive diseases	101	16.5%	38	63	0	0	0	0	0	0	0	0	0	0	1	1	3	1	7	6	6	8	15	20	6	27	
1-067	Ischaemic heart diseases	37	6.1%	22	15	0	0	0	0	0	0	0	0	0	0	1	0	2	3	6	0	5	2	4	5	4	5	
1-068	Other heart diseases	44	7.2%	17	27	0	0	0	0	0	0	1	0	2	1	1	0	6	1	2	2	2	4	3	12	0	7	
1-069	Cerebrovascular diseases	22	3.6%	14	8	0	0	0	0	0	0	0	0	0	0	1	0	4	0	1	2	3	1	2	3	3	2	
1-070	Atherosclerosis	4	0.7%	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	
1-071	Remainder of diseases of the circulatory system	13	2.1%	6	7	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	3	2	1	2	0	2	
1-074	Pneumonia	28	4.6%	22	6	0	0	0	0	0	0	1	0	1	1	6	1	3	0	2	1	5	2	1	1	3	0	
1-075	Other acute lower respiratory infections	3	0.5%	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	
1-076	Chronic lower respiratory diseases	11	1.8%	6	5	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	2	3	3	1	0	0	
1-077	Remainder of diseases of the respiratory system	7	1.1%	5	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	0	0	2	1	0	1	
1-079	Gastric and duodenal ulcer	3	0.5%	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	
1-080	Diseases of the liver	13	2.1%	11	2	0	0	0	0	0	0	0	0	0	1	0	1	0	4	0	3	1	1	1	1	0	0	
1-081	Remainder of diseases of the digestive system	20	3.3%	10	10	0	0	0	0	0	0	0	0	0	2	0	1	0	2	0	1	2	1	3	3	2	0	3

Table 5

**DEATHS IN THE REPUBLIC OF SEYCHELLES BY CAUSE,  
AGE GROUPS (IN YEARS) AND SEX FOR 2004**

ICD CODES(a)	Description	BOTH SEXES	TOTAL %	TOTAL		0		1-4		5-14		15-24		25-34		35-44		45-54		55-64		65-74		75-84		85+		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
1-083	Disease of the musculoskeletal system and connective tissue	3	0.5%	1	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0
1-085	Glomerular and renal tubulo-interstitial diseases	21	3.4%	13	8	0	0	0	0	0	0	0	0	0	0	0	1	3	1	2	2	5	1	3	2	0	1	
1-086	Remainder of diseases of the genitourinary system	5	0.8%	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	0	0	0	
1-093	Congenital malformations, deformations and chromosomal abnormalities	1	0.2%	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1-094	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	23	3.8%	9	14	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	0	1	1	2	4	1	9	
1-096	Transport accidents	6	1.0%	5	1	0	0	0	0	0	0	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	
1-097	Falls	2	0.3%	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
1-098	Accidental drowning and submersion	11	1.8%	9	2	0	0	0	0	0	0	0	0	1	0	2	0	2	0	3	2	1	0	0	0	0	0	
1-099	Exposure to smoke, fire and flames	2	0.3%	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	
1-101	Intentional self-harm	6	1.0%	6	0	0	0	0	0	0	0	1	0	2	0	3	0	0	0	0	0	0	0	0	0	0	0	
1-102	Assault	6	1.0%	5	1	0	0	0	0	0	0	2	0	0	1	1	0	1	0	1	0	0	0	0	0	0	0	
1-103	All other external causes	5	0.8%	4	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2	1	0	0	
3-032**	Pneumonia	12	2.0%	4	8	2	7	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3-039**	Disorders relating to length of gestation and foetal growth	2	0.3%	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3-040**	Birth trauma	1	0.2%	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Table 5

**DEATHS IN THE REPUBLIC OF SEYCHELLES BY CAUSE,  
AGE GROUPS (IN YEARS) AND SEX FOR 2004**

ICD CODES(a)	Description	BOTH		TOTAL		0		1-4		5-14		15-24		25-34		35-44		45-54		55-64		65-74		75-84		85+		
		SEXES	%	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
3-044**	Other respiratory conditions of newborn	1	0.2%	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3-047**	Haemorrhagic and haematological disorders of foetus and newborn	3	0.5%	0	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3-052**	Congenital malformation of the heart	1	0.2%	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3-055**	Other congenital malformations	1	0.2%	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>TOTAL</b>		<b>611</b>	<b>100.0%</b>	<b>329</b>	<b>282</b>	<b>4</b>	<b>13</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>14</b>	<b>4</b>	<b>13</b>	<b>7</b>	<b>31</b>	<b>10</b>	<b>46</b>	<b>14</b>	<b>48</b>	<b>34</b>	<b>66</b>	<b>46</b>	<b>80</b>	<b>80</b>	<b>25</b>	<b>71</b>	

Source: Health Statistics Unit - Division of Planning and Information/Civil Status Office

Note (a) W.H.O. International Classification of Diseases 1994 (10th) Edition

\*\* Infant and child mortality condensed list

**CAUSES OF DEATH, BY SEX, AGE  
AND AGE AND SEX-SPECIFIC DEATH RATE  
SEYCHELLES - 2004**

Table 6

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		SEX	NUMBER OF DEATHS AT (AGES YEARS) AND AGE-SEX-SPECIFIC DEATH RATES PER 100,000 POPULATION, (INFANT DEATH RATE PER 100,000 LIVE BIRTHS)										
			ALL AGES	0	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & +
<b>ALL CAUSES</b>		<b>M</b>	<b>329</b>	4	2	0	14	13	31	46	48	66	105
		<b>F</b>	<b>282</b>	13	2	1	4	7	10	14	34	46	151
		<b>M</b>	<b>809.3</b>	550.2	75.2	0.0	190.5	187.5	481.8	1030.9	2027.9	4177.2	11290.3
		<b>F</b>	<b>674.3</b>	1805.6	74.9	14.8	56.3	98.0	146.6	344.7	1401.5	2091.9	8274.0
1-003 DIARRHOEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN		<b>M</b>	<b>1</b>	0	0	0	0	0	0	0	0	0	1
		<b>F</b>	<b>0</b>	0	0	0	0	0	0	0	0	0	0
		<b>M</b>	<b>2.5</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	107.5
		<b>F</b>	<b>0.0</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-012 SEPTICAEMIA		<b>M</b>	<b>15</b>	0	0	0	1	1	0	0	0	7	6
		<b>F</b>	<b>23</b>	0	0	0	1	0	0	1	1	6	14
		<b>M</b>	<b>36.9</b>	0.0	0.0	0.0	13.6	14.4	0.0	0.0	0.0	443.0	645.2
		<b>F</b>	<b>55.0</b>	0.0	0.0	0.0	14.1	0.0	0.0	24.6	41.2	272.9	767.1
1-019 VIRAL HEPATITIS		<b>M</b>	<b>1</b>	0	0	0	0	0	0	1	0	0	0
		<b>F</b>	<b>0</b>	0	0	0	0	0	0	0	0	0	0
		<b>M</b>	<b>2.5</b>	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0
		<b>F</b>	<b>0.0</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-025 HUMAN IMMUNODEFICIENCY VIRUS (HIV)		<b>M</b>	<b>2</b>	0	0	0	1	0	1	0	0	0	0
		<b>F</b>	<b>1</b>	0	0	0	0	1	0	0	0	0	0
		<b>M</b>	<b>4.9</b>	0.0	0.0	0.0	13.6	0.0	15.5	0.0	0.0	0.0	0.0
		<b>F</b>	<b>2.4</b>	0.0	0.0	0.0	0.0	14.0	0.0	0.0	0.0	0.0	0.0
1-025 REMAINDER OF CERTAIN INFECTIOUS AND PARASITIC DISEASES		<b>M</b>	<b>6</b>	0	0	0	0	0	2	1	1	2	0
		<b>F</b>	<b>0</b>	0	0	0	0	0	0	0	0	0	0
		<b>M</b>	<b>14.8</b>	0.0	0.0	0.0	0.0	0.0	31.1	22.4	42.2	126.6	0.0
		<b>F</b>	<b>0.0</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-027 MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARYNX		<b>M</b>	<b>8</b>	0	0	0	0	0	0	2	3	1	2
		<b>F</b>	<b>1</b>	0	0	0	0	0	0	0	0	1	0
		<b>M</b>	<b>19.7</b>	0.0	0.0	0.0	0.0	0.0	0.0	44.8	126.7	63.3	215.1
		<b>F</b>	<b>2.4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	0.0
1-028 MALIGNANT NEOPLASM OF OESOPHAGUS		<b>M</b>	<b>3</b>	0	0	0	0	0	0	0	1	0	2
		<b>F</b>	<b>0</b>	0	0	0	0	0	0	0	0	0	0
		<b>M</b>	<b>7.4</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.2	0.0	215.1
		<b>F</b>	<b>0.0</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-029 MALIGNANT NEOPLASM OF STOMACH		<b>M</b>	<b>4</b>	0	0	0	0	0	0	0	1	1	2
		<b>F</b>	<b>2</b>	0	0	0	0	0	0	2	0	0	0
		<b>M</b>	<b>9.8</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.2	63.3	215.1
		<b>F</b>	<b>4.8</b>	0.0	0.0	0.0	0.0	0.0	0.0	49.2	0.0	0.0	0.0
1-030 MALIGNANT NEOPLASM OF COLON, RECTUM AND ANUS		<b>M</b>	<b>7</b>	0	0	0	0	0	1	0	2	2	2
		<b>F</b>	<b>5</b>	0	0	0	0	0	0	0	1	0	4
		<b>M</b>	<b>17.2</b>	0.0	0.0	0.0	0.0	0.0	15.5	0.0	84.5	126.6	215.1
		<b>F</b>	<b>12.0</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	0.0	219.2
1-032 MALIGNANT NEOPLASM OF PANCREAS		<b>M</b>	<b>4</b>	0	0	0	0	0	0	0	0	2	2
		<b>F</b>	<b>4</b>	0	0	0	0	0	1	0	0	1	2
		<b>M</b>	<b>9.8</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.6	215.1
		<b>F</b>	<b>9.6</b>	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	45.5	109.6

**CAUSES OF DEATH, BY SEX, AGE  
AND AGE AND SEX-SPECIFIC DEATH RATE  
SEYCHELLES - 2004**

Table 6

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		SEX	NUMBER OF DEATHS AT (AGES YEARS) AND AGE-SEX-SPECIFIC DEATH RATES PER 100,000 POPULATION, (INFANT DEATH RATE PER 100,000 LIVE BIRTHS)										
			ALL AGES	0	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & +
1-033	MALIGNANT NEOPLASM OF LARYNX	M	1	0	0	0	0	0	0	0	1	0	0
		F	1	0	0	0	0	0	0	0	0	1	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.2	0.0	0.0
		F	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	0.0
1-034	MALIGNANT NEOPLASM OF TRACHAEA, BRONCHUS AND LUNGS	M	13	0	0	0	0	0	1	2	0	5	5
		F	4	0	0	0	0	0	0	0	1	1	2
		M	32.0	0.0	0.0	0.0	0.0	0.0	15.5	44.8	0.0	316.5	537.6
		F	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	45.5	109.6
1-036	MALIGNANT NEOPLASM OF BREAST	M	0	0	0	0	0	0	0	0	0	0	0
		F	9	0	0	0	0	0	2	1	1	2	3
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	21.5	0.0	0.0	0.0	0.0	0.0	29.3	24.6	41.2	91.0	164.4
1-037	MALIGNANT NEOPLASM OF CERVIX UTERI	M	0	0	0	0	0	0	0	0	0	0	0
		F	3	0	0	0	0	0	0	2	1	0	0
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	7.2	0.0	0.0	0.0	0.0	0.0	0.0	49.2	41.2	0.0	0.0
1-038	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF UTERUS	M	0	0	0	0	0	0	0	0	0	0	0
		F	3	0	0	0	0	0	1	1	1	0	0
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	7.2	0.0	0.0	0.0	0.0	0.0	14.7	24.6	41.2	0.0	0.0
1-039	MALIGNANT NEOPLASM OF OVARY	M	0	0	0	0	0	0	0	0	0	0	0
		F	5	0	0	0	0	0	1	0	2	1	1
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	12.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	82.4	45.5	54.8
1-040	MALIGNANT NEOPLASM OF PROSTATE	M	14	0	0	0	0	0	0	0	2	4	8
		F	0	0	0	0	0	0	0	0	0	0	0
		M	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.5	253.2	860.2
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-041	MALIGNANT NEOPLASM OF BLADDER	M	1	0	0	0	0	0	0	1	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-042	MALIGNANT NEOPLASM OF MENINGES, BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	M	1	0	0	0	0	0	0	1	0	0	0
		F	2	0	0	0	0	1	0	0	0	1	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0
		F	4.8	0.0	0.0	0.0	0.0	14.0	0.0	0.0	0.0	45.5	0.0
1-043	NON-HODGKIN'S LYMPHOMA	M	1	0	0	0	0	0	0	0	0	0	1
		F	1	0	0	0	0	0	1	0	0	0	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	107.5
		F	2.4	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	0.0	0.0
1-045	LEUKAEMIA	M	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	1	0	0
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	0.0	0.0

**CAUSES OF DEATH, BY SEX, AGE  
AND AGE AND SEX-SPECIFIC DEATH RATE  
SEYCHELLES - 2004**

Table 6

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		NUMBER OF DEATHS AT (AGES YEARS) AND AGE-SEX-SPECIFIC DEATH RATES PER 100,000 POPULATION, (INFANT DEATH RATE PER 100,000 LIVE BIRTHS)											
		SEX	ALL AGES	0	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & +
1-046	REMAINDER OF MALIGNANT NEOPLASMS	M	6	0	0	0	0	0	0	2	2	1	1
		F	3	0	0	0	0	0	0	0	1	0	2
		M	14.8	0.0	0.0	0.0	0.0	0.0	0.0	44.8	84.5	63.3	107.5
		F	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	0.0	109.6
1-0479	REMAINDER OF NEOPLASMS	M	1	0	0	0	0	0	1	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	15.5	0.0	0.0	0.0	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-049	ANAEMIAS	M	4	0	0	0	0	0	0	0	0	1	3
		F	3	0	0	0	0	0	0	0	0	1	2
		M	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.3	322.6
		F	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	109.6
1-050	REMAINDER OF DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM	M	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-051	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	M	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	1	0	0
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	0.0	0.0
1-052	DIABETES MELLITUS	M	4	0	0	0	0	0	0	1	0	1	2
		F	8	0	0	0	0	0	0	0	1	2	5
		M	9.8	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	63.3	215.1
		F	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	91.0	274.0
1-053	MALNUTRITION	M	2	0	0	0	0	1	0	0	0	1	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	4.9	0.0	0.0	0.0	0.0	14.4	0.0	0.0	0.0	63.3	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-054	REMAINDER OF ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	M	1	0	0	0	0	0	0	0	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	107.5
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-056	MENTAL AND BEHAVIOURAL DISORDERS DUE TO PSYCHOACTIVE SUBSTANCE USE	M	2	0	0	0	0	0	1	0	0	1	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	4.9	0.0	0.0	0.0	0.0	0.0	15.5	0.0	0.0	63.3	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-057	REMAINDER OF MENTAL AND BEHAVIOURAL DISORDERS	M	1	0	0	0	0	0	0	0	0	0	1
		F	1	0	0	0	0	0	0	0	0	0	1
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	107.5
		F	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54.8
1-059	MENINGITIS	M	1	0	0	0	0	0	0	1	0	0	0
		F	1	0	0	0	0	0	1	0	0	0	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0
		F	2.4	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	0.0	0.0

**CAUSES OF DEATH, BY SEX, AGE  
AND AGE AND SEX-SPECIFIC DEATH RATE  
SEYCHELLES - 2004**

Table 6

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		NUMBER OF DEATHS AT (AGES YEARS) AND AGE-SEX-SPECIFIC DEATH RATES PER 100,000 POPULATION, (INFANT DEATH RATE PER 100,000 LIVE BIRTHS)											
		SEX	ALL AGES	0	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & +
1-061	REMAINDER OF DISEASES OF THE NERVOUS SYSTEM	M	2	0	0	0	0	0	0	0	1	0	1
		F	3	0	0	0	0	1	0	0	1	0	1
		M	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.2	0.0	107.5
		F	7.2	0.0	0.0	0.0	0.0	14.0	0.0	0.0	41.2	0.0	54.8
1-066	HYPERTENSIVE DISEASES	M	38	0	0	0	0	0	1	3	7	6	21
		F	63	0	0	0	0	0	1	1	6	8	47
		M	93.5	0.0	0.0	0.0	0.0	0.0	15.5	67.2	295.7	379.7	2258.1
		F	150.6	0.0	0.0	0.0	0.0	0.0	14.7	24.6	247.3	363.8	2575.3
1-067	ISCHAEMIC HEART DISEASE	M	22	0	0	0	0	0	1	2	6	5	8
		F	15	0	0	0	0	0	0	3	0	2	10
		M	54.1	0.0	0.0	0.0	0.0	0.0	15.5	44.8	253.5	316.5	860.2
		F	35.9	0.0	0.0	0.0	0.0	0.0	0.0	73.9	0.0	91.0	547.9
1-068	OTHER HEART DISEASES	M	17	0	0	0	1	2	1	6	2	2	3
		F	27	0	0	0	0	1	0	1	2	4	19
		M	41.8	0.0	0.0	0.0	13.6	28.8	15.5	134.5	84.5	126.6	322.6
		F	64.6	0.0	0.0	0.0	0.0	14.0	0.0	24.6	82.4	181.9	1041.1
1-069	CEREBROVASCULAR DISEASES	M	14	0	0	0	0	0	1	4	1	3	5
		F	8	0	0	0	0	0	0	0	2	1	5
		M	34.4	0.0	0.0	0.0	0.0	0.0	15.5	89.6	42.2	189.9	537.6
		F	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.4	45.5	274.0
1-070	ATHEROSCLEROSIS	M	0	0	0	0	0	0	0	0	0	0	0
		F	4	0	0	0	0	0	0	0	0	1	3
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	164.4
1-071	REMAINDER OF DISEASES OF THE CIRCULATORY SYSTEM	M	6	0	0	0	0	0	1	0	1	3	1
		F	7	0	0	0	0	1	0	0	0	2	4
		M	14.8	0.0	0.0	0.0	0.0	0.0	15.5	0.0	42.2	189.9	107.5
		F	16.7	0.0	0.0	0.0	0.0	14.0	0.0	0.0	0.0	91.0	219.2
1-074	PNEUMONIA	M	26	2	2	0	1	1	6	3	2	5	4
		F	14	7	1	0	0	1	1	0	1	2	1
		M	64.0	275.1	75.2	0.0	13.6	14.4	93.3	67.2	84.5	316.5	430.1
		F	33.5	972.2	37.4	0.0	0.0	14.0	14.7	0.0	41.2	91.0	54.8
1-075	OTHER ACUTE LOWER RESPIRATORY INFECTIONS	M	2	0	0	0	0	0	0	0	1	0	1
		F	1	0	0	0	0	0	0	0	1	0	0
		M	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.2	0.0	107.5
		F	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	0.0	0.0
1-076	CHRONIC LOWER RESPIRATORY DISEASES	M	6	0	0	0	0	0	0	0	1	2	3
		F	5	0	0	1	0	0	0	0	0	3	1
		M	14.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.2	126.6	322.6
		F	12.0	0.0	0.0	14.8	0.0	0.0	0.0	0.0	0.0	136.4	54.8
1-077	REMAINDER OF DISEASES OF THE RESPIRATORY SYSTEMS	M	5	0	0	0	1	0	0	0	2	0	2
		F	2	0	0	0	0	0	0	0	0	0	2
		M	12.3	0.0	0.0	0.0	13.6	0.0	0.0	0.0	84.5	0.0	215.1
		F	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	109.6

**CAUSES OF DEATH, BY SEX, AGE  
AND AGE AND SEX-SPECIFIC DEATH RATE  
SEYCHELLES - 2004**

Table 6

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		SEX	NUMBER OF DEATHS AT (AGES YEARS) AND AGE-SEX-SPECIFIC DEATH RATES PER 100,000 POPULATION, (INFANT DEATH RATE PER 100,000 LIVE BIRTHS)										
			ALL AGES	0	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & +
1-079	GASTRIC AND DUODENAL ULCER	M	3	0	0	0	0	0	0	1	0	0	2
		F	0	0	0	0	0	0	0	0	0	0	0
		M	7.4	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	215.1
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-080	DISEASES OF THE LIVER	M	11	0	0	0	0	1	1	4	3	1	1
		F	2	0	0	0	0	0	0	0	1	1	0
		M	27.1	0.0	0.0	0.0	0.0	14.4	15.5	89.6	126.7	63.3	107.5
		F	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	45.5	0.0
1-081	REMAINDER OF DISEASES OF THE DIGESTIVE SYSTEM	M	10	0	0	0	0	2	1	2	1	1	3
		F	10	0	0	0	0	0	0	0	2	3	5
		M	24.6	0.0	0.0	0.0	0.0	28.8	15.5	44.8	42.2	63.3	322.6
		F	23.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.4	136.4	274.0
1-083	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M	1	0	0	0	0	0	0	1	0	0	0
		F	2	0	0	0	1	0	0	1	0	0	0
		M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	0.0
		F	4.8	0.0	0.0	0.0	14.1	0.0	0.0	24.6	0.0	0.0	0.0
1-085	GLOMERULAR AND RENAL TUBULO-INTERSTITIAL DISEASES	M	13	0	0	0	0	0	0	3	2	5	3
		F	8	0	0	0	0	0	1	1	2	1	3
		M	32.0	0.0	0.0	0.0	0.0	0.0	0.0	67.2	84.5	316.5	322.6
		F	19.1	0.0	0.0	0.0	0.0	0.0	14.7	24.6	82.4	45.5	164.4
1-086	REMAINDER OF DISEASES OF THE GENITOURINARY SYSTEM	M	3	0	0	0	0	0	0	0	0	1	2
		F	2	0	0	0	0	0	0	0	2	0	0
		M	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.3	215.1
		F	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.4	0.0	0.0
1-093	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	M	2	2	0	0	0	0	0	0	0	0	0
		F	5	5	0	0	0	0	0	0	0	0	0
		M	4.9	275.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	12.0	694.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-093	CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	M	0	0	0	0	0	0	0	0	0	0	0
		F	3	1	1	0	1	0	0	0	0	0	0
		M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	7.2	138.9	37.4	0.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0
1-094	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED	M	9	0	0	0	0	1	1	2	1	1	3
		F	14	0	0	0	0	0	0	0	0	1	13
		M	22.1	0.0	0.0	0.0	0.0	14.4	15.5	44.8	42.2	63.3	322.6
		F	33.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	712.3
1-096	TRANSPORT ACCIDENTS	M	5	0	0	0	3	2	0	0	0	0	0
		F	1	0	0	0	1	0	0	0	0	0	0
		M	12.3	0.0	0.0	0.0	40.8	28.8	0.0	0.0	0.0	0.0	0.0
		F	2.4	0.0	0.0	0.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0
1-097	FALLS	M	2	0	0	0	1	0	0	0	0	1	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	4.9	0.0	0.0	0.0	13.6	0.0	0.0	0.0	0.0	63.3	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**CAUSES OF DEATH, BY SEX, AGE  
AND AGE AND SEX-SPECIFIC DEATH RATE  
SEYCHELLES - 2004**

Table 6

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		SEX	NUMBER OF DEATHS AT (AGES YEARS) AND AGE-SEX-SPECIFIC DEATH RATES PER 100,000 POPULATION, (INFANT DEATH RATE PER 100,000 LIVE BIRTHS)										
			ALL AGES	0	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 & +
1-098	ACCIDENTAL DROWNING AND SUBMERSION	M	9	0	0	0	0	1	2	2	3	1	0
		F	2	0	0	0	0	0	0	0	2	0	0
		M	22.1	0.0	0.0	0.0	0.0	14.4	31.1	44.8	126.7	63.3	0.0
		F	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.4	0.0	0.0
1-101	EXPOSURE TO SMOKE, FIRE AND FLAMES	M	2	0	0	0	0	0	2	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	4.9	0.0	0.0	0.0	0.0	0.0	31.1	0.0	0.0	0.0	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-101	INTENTIONAL SELF-HARM	M	6	0	0	0	1	2	3	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		M	14.8	0.0	0.0	0.0	13.6	28.8	46.6	0.0	0.0	0.0	0.0
		F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1-102	ASSAULT	M	5	0	0	0	2	0	1	1	1	0	0
		F	1	0	0	0	0	1	0	0	0	0	0
		M	12.3	0.0	0.0	0.0	27.2	0.0	15.5	22.4	42.2	0.0	0.0
		F	2.4	0.0	0.0	0.0	0.0	14.0	0.0	0.0	0.0	0.0	0.0
1-103	ALL OTHER EXTERNAL CAUSES	M	4	0	0	0	1	0	1	0	0	0	2
		F	1	0	0	0	0	0	0	0	0	0	1
		M	9.8	0.0	0.0	0.0	13.6	0.0	15.5	0.0	0.0	0.0	215.1
		F	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54.8

Source: Health Statistics Unit - Division of Health Planning & Information - Ministry of Health & Social Services / Civil Status Office

Note : 1-... Mortality tabulation list 1 General Mortality Condensed list

**CAUSES OF INFANT DEATHS, BY SEX, AGE, SEX AND AGE-SPECIFIC  
SEYCHELLES 2004**

**Table 7**

CAUSES OF DEATH ICD-10 BASIC TABULATION LIST		NUMBER OF DEATHS AT AGES					RATE % OF DEATHS AT AGES					
		<1 YEAR	1 - 6 DAY	7-27 DAYS	28-365 DAYS	P. 100,000	<1 DAY	1 - 6 DAYS	7-27 DAYS	28-365 DAYS		
3-032	PNEUMONIA	T	9	0	2	2	5	622.0	0.0	138.2	138.2	345.5
		M	2	0	1	0	1	275.1	0.0	137.6	0.0	137.6
		F	7	0	1	2	4	97.1	0.0	138.9	277.8	555.6
3-039	DISORDERS RELATING TO LENGTH OF GESTATION AND FOETAL GROWTH	T	2	0	2	0	0	138.2	0.0	138.2	0.0	0.0
		M	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
		F	2	0	2	0	0	27.7	0.0	277.8	0.0	0.0
3-040	BIRTH TRAUMA	T	1	0	0	1	0	69.1	0.0	0.0	69.1	0.0
		M	1	0	0	1	0	137.6	0.0	0.0	137.6	0.0
		F	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3-044	OTHER RESPIRATORY CONDITIONS OF NEWBORN	T	1	0	1	0	0	69.1	0.0	69.1	0.0	0.0
		M	1	0	1	0	0	137.6	0.0	137.6	0.0	0.0
		F	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3-047	HAEMORRHAGIC AND HAEMATOLOGICAL DISORDERS OF FOETUS AND NEWBORN	T	3	2	0	1	0	207.3	138.2	0.0	69.1	0.0
		M	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
		F	3	2	0	1	0	41.6	277.8	0.0	138.9	0.0
3-055	OTHER CONGENITAL MALFORMATIONS	T	1	1	0	0	0	69.1	69.1	0.0	0.0	0.0
		M	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
		F	1	1	0	0	0	13.9	138.9	0.0	0.0	0.0

**Source:** Health Statistics Unit - Division of Planning and Information -  
Ministry of Health & Social Services/ Civil Status Office  
3 -...Mortality tabulation list 3 Infant and child mortality Condensed list

**BIRTHWEIGHT OF LIVEBIRTHS AND STILLBIRTHS BY PARITY AND AGE-GROUP OF MOTHERS IN SEYCHELLES, 2004**

Table 8

Birthweight/Parity	Age of Mother ( Years)								Total	
	<15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & +		
<b>&lt;2.500 Kg</b>										
P	0	0	21	23	11	4	1	1	0	61
a	1	0	1	10	14	9	1	1	0	36
r	2	0	0	4	4	4	7	0	0	19
l	3	0	0	0	1	1	4	3	0	9
t	4	0	0	0	0	1	2	1	0	4
y	5 & +	0	0	0	0	1	0	0	0	1
<b>Total</b>	<b>0</b>	<b>22</b>	<b>37</b>	<b>30</b>	<b>20</b>	<b>15</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>130</b>
<b>2.500 - 2.999Kg</b>										
P	0	0	62	56	32	15	3	2	0	170
a	1	0	12	16	33	24	4	2	0	91
r	2	0	0	9	21	25	12	3	0	70
l	3	0	0	1	4	7	5	1	0	18
t	4	0	0	1	1	0	5	2	0	9
y	5 & +	0	0	0	0	0	3	0	0	3
<b>Total</b>	<b>0</b>	<b>74</b>	<b>83</b>	<b>91</b>	<b>71</b>	<b>32</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>361</b>
<b>3.000 - 3.499Kg</b>										
P	0	0	65	93	44	21	6	1	0	230
a	1	0	11	53	69	41	15	1	0	190
r	2	0	0	19	28	25	25	0	0	97
l	3	0	0	1	12	11	15	3	0	42
t	4	0	1	0	1	5	2	3	1	13
y	5 & +	0	0	0	1	4	5	1	0	11
<b>Total</b>	<b>0</b>	<b>77</b>	<b>166</b>	<b>155</b>	<b>107</b>	<b>68</b>	<b>9</b>	<b>1</b>	<b>0</b>	<b>583</b>
<b>3.500 - 3.999Kg</b>										
P	0	0	27	48	17	7	0	0	0	99
a	1	0	9	22	32	32	6	1	0	102
r	2	0	0	9	11	18	16	1	0	55
l	3	0	0	0	12	10	9	2	0	33
t	4	0	0	0	3	2	5	3	0	13
y	5 & +	0	0	0	0	1	4	0	0	5
<b>Total</b>	<b>0</b>	<b>36</b>	<b>79</b>	<b>75</b>	<b>70</b>	<b>40</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>307</b>
<b>4.000 &amp; + Kg</b>										
P	0	0	2	8	4	2	0	0	0	16
a	1	0	1	7	8	4	1	1	0	22
r	2	0	0	2	6	7	6	1	0	22
l	3	0	0	0	1	2	2	0	0	5
t	4	0	0	0	0	1	2	3	0	6
y	5 & +	0	0	0	0	2	2	0	0	4
<b>Total</b>	<b>0</b>	<b>3</b>	<b>17</b>	<b>19</b>	<b>18</b>	<b>13</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>75</b>
<b>TOTAL</b>	<b>0</b>	<b>212</b>	<b>382</b>	<b>370</b>	<b>286</b>	<b>168</b>	<b>37</b>	<b>1</b>	<b>0</b>	<b>1456</b>

Source : Statistics Unit - Division of Health Planning and Information  
Department of Health

BIRTHWEIGHT OF STILLBIRTHS BY PARITY AND AGE-GROUP OF MOTHERS IN SEYCHELLES, 2004

Table 9

Birthweight/Parity	Age of Mother ( Years)								Total	
	<15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & +		
<b>&lt;2.500 Kg</b>										
P	0	0	0	1	1	0	0	0	0	2
a	1	0	0	1	0	0	0	0	0	1
r	2	0	0	0	0	0	0	0	0	0
l	3	0	0	0	0	0	0	0	0	0
t	4	0	0	0	0	1	0	0	0	1
y	5 & +	0	0	0	0	0	0	0	0	0
Total	0	0	2	1	1	0	0	0	0	4
<b>2.500 - 2.999Kg</b>										
P	0	0	0	0	0	0	0	0	0	0
a	1	0	0	0	0	0	0	0	0	0
r	2	0	0	0	0	0	0	0	0	0
l	3	0	0	0	0	0	0	0	0	0
t	4	0	0	0	0	0	0	0	0	0
y	5 & +	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0
<b>3.000 - 3.999Kg</b>										
P	0	0	0	0	0	0	0	0	0	0
a	1	0	0	0	0	1	0	0	0	1
r	2	0	0	0	0	0	1	0	0	1
l	3	0	0	0	1	0	0	0	0	1
t	4	0	0	0	0	0	0	0	0	0
y	5 & +	0	0	0	0	0	0	0	0	0
Total	0	0	0	1	1	1	0	0	0	3
<b>4.000 &amp; + Kg</b>										
P	0	0	0	0	0	0	0	0	0	0
a	1	0	0	0	0	0	0	0	0	0
r	2	0	0	0	0	0	0	0	0	0
l	3	0	0	0	0	0	0	0	0	0
t	4	0	0	0	0	0	0	0	0	0
y	5 & +	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>

Source : Statistics Unit - Division of Health Planning and Information  
Department of Health

**NOTIFIABLE DISEASES IN THE REPUBLIC OF SEYCHELLES  
1988 TO 2004**

**Table 10**

DISEASES	Number of Notified Cases per Year																
	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
CHICKENPOX	424	680	688	172	663	1393	162	245	876	791	700	584	580	320	348	240	565
CONJUNCTIVITIS	439	799	1119	629	545	653	836	678	832	15023	1410	1645	1422	1578	1951	1857	1525
BLOODY DIARRHOEA	3	2	1	0	0	3	2	9	3	1	3	5	7	5	0	0	1
OTHER DIARRHOEA	1172	1409	3007	3058	2883	4639	2008	3854	3805	5436	6829	7187	5712	5302	4435	4585	4584
DENGUE	0	0	0	0	1	0	0	0	0	706	0	0	0	0	0	5	405
ENCEPHALITIS	0	0	1	0	1	0	0	0	2	1	5	0	2	0	0	0	3
FOOD POISONING	97	118	64	36	8	23	77	65	24	44	27	40	19	29	22	13	40
FILARIA	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEPATITIS	11	4	12	12	1	0	3	14	7	3	0	1	1	2	0	2	2
LEPROSY	3	1	7	4	1	5	1	0	1	1	0	6	8	3	0	0	0
LEPTOSPIROSIS	38	34	61	60	17	26	23	57	55	51	36	21	24	70	52	35	35
MALARIA \$	3	6	7	6	3	5	12	18	15	8	6	21	8	11	3	10	15
MEASLES	0	5	3	5	0	0	1	0	2	22	626	2	0	0	0	1	0
MENINGITIS	0	12	8	16	3	3	2	19	13	16	18	6	25	6	9	14	5
MUMPS	224	27	46	19	8	10	3	1	8	4	12	4	3	6	4	2	4
PARATYPHOID	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
RUBELLA	0	1	59	25	2	0	0	0	2	2	0	0	0	0	0	1	0
STRONGYLOIDIASIS	378	534	429	474	355	613	349	282	243	148	167	167	90	80	53	50	25
TETANUS	0	0	1	1	0	1	0	0	1	1	0	2	1	1	0	0	0
T.B. (ALL TYPES)	10	6	34	16	12	10	10	13	14	15	13	20	14	19	29	10	13
TYPHOID	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
UPPER RESPIRATORY TRACT INFECTION	1174	944	496	1842	4025	6454	3349	5355	4437	9989	7839	12532	15572	15529	28613	28684	24585
GONORRHEA	935	518	205	92	120	187	152	87	31	73	60	50	38	104	62	48	21
PRIMARY SYPHILIS	2	3	21	30	13	24	15	11	19	16	8	2	0	1	2	0	0
SECONDARY SYPHILIS	21	24	23	26	6	6	17	6	1	1	1	3	0	0	0	0	0
CONGENITAL SYPHILIS	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
CHANCROID	6	17	18	0	0	0	0	0	0	5	0	0	0	0	0	0	1
LYMPHOGRANULOMA VENEREUM	4	2	2	5	2	2	1	0	0	7	0	3	0	0	1	0	0
WHOOPIING COUGH	0	0	2	2	2	0	2	0	1	0	0	2	0	0	0	3	0
HUMAN IMMUNO-DEFICIENCY VIRUS ACQUIRED IMMUNO-DEFICIENCY SYNDROME (AIDS)	7	1	3	6	7	9	10	13	10	7	9	14	18	28	16	20	23
					1	6	3	6	4	4	5	8	3	15	8	5	6

Source :Health Statistics Unit - Division of Planning and Information - Ministry of Health & Social Services

\$ Imported Cases

No Notified Cases of :- Cholera, Diphtheria, Neonatal Tetanus, AFP/Poliomelitis, ParaTyphoid, Rabies, Smallpox & Yellow Fever

**NOTIFIED CASES OF INFECTIOUS DISEASES IN THE SEYCHELLES  
BY SEX AND AGE GROUPS (IN YEARS) FOR THE YEAR 2004**

Table 11

DISEASES	SEX	TOTAL	AGE GROUP (YEARS)									
			0	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75&+
AIDS	Total	<b>6</b>	0	0	1	0	2	3	0	0	0	0
	Male	<b>4</b>	0	0	1	0	1	2	0	0	0	0
	Female	<b>2</b>	0	0	0	0	1	1	0	0	0	0
CHICKEN POX	Total	<b>565</b>	19	85	255	95	62	34	8	4	3	0
	Male	<b>300</b>	12	42	138	50	30	19	5	2	2	0
	Female	<b>265</b>	7	43	117	45	32	15	3	2	1	0
CONJUNCTIVITIS	Total	<b>1525</b>	60	239	312	289	291	186	79	40	18	11
	Male	<b>735</b>	31	117	145	149	120	93	50	17	7	6
	Female	<b>790</b>	29	122	167	140	171	93	29	23	11	5
DENGUE	Total	<b>405</b>	2	10	98	153	67	33	23	15	3	1
	Male	<b>212</b>	2	6	51	81	30	20	14	6	1	1
	Female	<b>193</b>	0	4	47	72	37	13	9	9	2	0
CHANCROID	Total	<b>1</b>	0	0	0	0	0	0	1	0	0	0
	Male	<b>1</b>	0	0	0	0	0	0	1	0	0	0
	Female	<b>0</b>	0	0	0	0	0	0	0	0	0	0
DYSENTERY	Total	<b>1</b>	0	0	0	1	0	0	0	0	0	0
	Male	<b>0</b>	0	0	0	0	0	0	0	0	0	0
	Female	<b>1</b>	0	0	0	1	0	0	0	0	0	0
ENCEPHALITIS	Total	<b>3</b>	0	0	0	1	0	1	1	0	0	0
	Male	<b>2</b>	0	0	0	1	0	0	1	0	0	0
	Female	<b>1</b>	0	0	0	0	0	1	0	0	0	0
FOOD POISONING	Total	<b>40</b>	<b>3</b>	6	7	5	10	4	2	2	1	0
	Male	<b>21</b>	2	1	5	3	5	2	2	1	0	0
	Female	<b>19</b>	1	5	2	2	5	2	0	1	1	0
GONORRHEA	Total	<b>21</b>	0	0	0	7	11	2	1	0	0	0
	Male	<b>15</b>	0	0	0	5	7	2	1	0	0	0
	Female	<b>6</b>	0	0	0	2	4	0	0	0	0	0
HIV	Total	<b>23</b>	0	0	1	3	8	7	3	1	0	0
	Male	<b>16</b>	0	0	1	2	5	5	2	1	0	0
	Female	<b>7</b>	0	0	0	1	3	2	1	0	0	0
HEPATITIS	Total	<b>2</b>	0	0	0	0	1	0	1	0	0	0
	Male	<b>2</b>	0	0	0	0	1	0	1	0	0	0
	Female	<b>0</b>	0	0	0	0	0	0	0	0	0	0
LEPTOSPIROSIS	Total	<b>35</b>	0	0	3	9	8	10	3	1	1	0
	Male	<b>34</b>	0	0	3	9	8	9	3	1	1	0
	Female	<b>1</b>	0	0	0	0	0	1	0	0	0	0
MALARIA*	Total	<b>15</b>	0	2	2	1	5	4	1	0	0	0
	Male	<b>10</b>	0	1	2	1	2	3	1	0	0	0
	Female	<b>5</b>	0	1	0	0	3	1	0	0	0	0
MENINGITIS**	Total	<b>5</b>	1	1	1	0	1	1	0	0	0	0
	Male	<b>2</b>	0	1	0	0	1	0	0	0	0	0
	Female	<b>3</b>	1	0	1	0	0	1	0	0	0	0

**NOTIFIED CASES OF INFECTIOUS DISEASES IN THE SEYCHELLES BY SEX AND AGE GROUPS (IN YEARS) FOR THE YEAR 2004**

Table 11

DISEASES	SEX	TOTAL	AGE GROUP (YEARS)									
			0	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75&+
MUMPS	Total	<b>4</b>	0	1	3	0	0	0	0	0	0	0
	Male	<b>4</b>	0	1	3	0	0	0	0	0	0	0
	Female	<b>0</b>	0	0	0	0	0	0	0	0	0	0
NON GONOCOCCAL CERVICITIS	Total	<b>116</b>	0	0	1	42	50	22	1	0	0	0
	Female	<b>116</b>	0	0	1	42	50	22	1	0	0	0
NON GONOCOCCAL URETHRITIS	Total	<b>14</b>	0	0	0	3	3	6	2	0	0	0
	Male	<b>14</b>	0	0	0	3	3	6	2	0	0	0
	Female	<b>0</b>	0	0	0	0	0	0	0	0	0	0
OTHER DIARRHOEA	Total	<b>4584</b>	205	720	718	980	892	582	247	124	65	51
	Male	<b>2206</b>	115	389	372	440	399	262	123	62	27	17
	Female	<b>2378</b>	90	331	346	540	493	320	124	62	38	34
STRONGYLOIDIASIS	Total	<b>25</b>	0	2	0	6	3	3	2	3	4	2
	Male	<b>18</b>	0	2	0	4	1	2	1	2	4	2
	Female	<b>7</b>	0	0	0	2	2	1	1	1	0	0
TUBERCULOSIS	Total	<b>13</b>	0	0	0	0	5	4	2	2	0	0
	Male	<b>7</b>	0	0	0	0	3	2	1	1	0	0
	Female	<b>6</b>	0	0	0	0	2	2	1	1	0	0
UPPER RESPIRATORY TRACT INFECTIONS	Total	<b>24585</b>	1537	5426	5703	4538	3084	2186	1116	505	280	210
	Male	<b>11705</b>	803	2785	2903	2188	1261	879	482	214	108	82
	Female	<b>12880</b>	734	2641	2800	2350	1823	1307	634	291	172	128

Source: Health Statistics Unit - Division of Planning and Information - Ministry of Health & Social Services

No Notified cases of: Cholera, Diphtheria, Filariasis, Leprosy, Lymphogranuloma Inguinale, Lymphogranuloma Venereum, Para-Typhoid, Plague, Polio/AFP, Rabies, Rubella, Small Pox, Syphilis Primary, Syphilis Secondary, Tetanus, Typhoid, Whooping Cough and Yellow Fever.

\* Imported cases

\*\* Non-meningococcal

## HEALTH CENTRE ATTENDANCES AND VITAL STATISTICS 1990 - 2004

**Table 12**

ATTENDANCES AND VITAL STATISTICS	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
<b>CLINIC ATTENDANCES</b>															
Doctors Normal Hours	161,494	184,423	179,276	203,580	207,176	210,533	216,811	233,024	232,366	231,087	221,445	212,566	222,783	226,040	237,223
Doctors After Normal Hours	21,673	17,702	24,093	23,810	24,095	26,516	30,578	49,808	66,438	64,484	73,041	64,556	66,506	66,994	63,340
Seen By Nurse (1)	24,089	15,645	27,903	14,443	17,470	25,204	28,510	35,611	64,252	65,617	96,643	98,895	129,068	138,517	157,500
Number of Dressings	70,029	72,063	75,630	76,893	87,428	96,810	108,650	96,677	105,830	102,297	105,318	95,471	89,404	86,881	81,864
<b>IMMUNIZATIONS</b>															
BCG													1,407	1,416	1,387
1st Dose DPT & Polio	1,537	1,782	1,420	1,507	1,594	1,488	1,555	1,504	1,417	1,554	1,404	1,448	1,436	1,452	1,415
2nd Dose DPT & Polio	1,555	1,787	1,387	1,580	1,562	1,463	1,521	1,537	1,356	1,643	1,420	1,456	1,462	1,453	1,427
3rd Dose DPT & Polio	1,527	1,829	1,416	1,575	1,603	1,485	1,524	1,344	1,366	1,323	1,404	1,430	1,432	1,481	1,382
Booster Dose DPT & Polio	1,399	1,515	1,360	1,409	1,443	1,605	1,400	1,452	1,496	1,367	1,257	1,366	1,419	1,445	1,418
Hepatitis B 1st Dose													1,436	1,454	1,385
Hepatitis B 2nd Dose													1,454	1,451	1,359
Hepatitis B 3rd Dose													1,393	1,477	1,394
Tetanus Toxoid for Pregnant Women													411	468	499
Other Tetanus Toxoid	1,526	1,649	1,740	1,728	1,426	1,124	1,446	1,548	1,337	1,689	1,354	1,175	1,032	1,051	1,007
Measles/Mumps/Rubella	1,387	1,330	1,698	1,574	1,392	1,535	1,442	1,538	1,457	1,335	1,361	1,477	1,629	1,480	1,458
Yellow Fever (2)						1,021	1,455	1,552	1,540	1,321	1,410	1,507	1,480	1,498	1,447
<b>MATERNAL AND CHILD HEALTH</b>															
Doctor	141	264	304	175	259	301	602	479	571	623	966	1,327	1,201	1,219	1,229
Nurse	49,030	45,324	44,800	38,547	33,422	29,689	29,378	30,000	29,505	28,123	29,558	29,300	27,921	27,633	26,488
Ante Natal Attendances (3)	18,761	18,683	18,407	19,685	18,840	19,317	18,564	18,173	17,071	18,756	17,755	18,391	20,037	20,660	21,338
Post Natal Attendances	1,468	1,732	1,426	1,696	1,668	1,498	1,539	1,396	1,376	1,431	1,641	1,386	1,496	1,435	1,390
<b>Family Planning : (4)</b>															
Pap Smear		5,548	5,423	6,095	6,840	7,266	7,662	6,515	5,989	5,815	6,199	6,419	5,002	5,068	5,153
New Acceptors	684	876	888	783	805	717	721	693	734	765	778	607	570	624	608
Drop Outs		1,645	1,808	1,955	2,003	1,977	1,749	2,115	1,767	1,777	1,828	2,055	1,932	1,796	1,926
Drop Out Returnings	991	1,506	1,556	1,652	1,807	1,759	1,855	1,776	1,682	1,703	1,670	1,649	1,840	1,808	1,887
Current Users	18,561	25,294	24,748	26,147	27,517	27,997	29,063	29,294	29,640	32,237	30,230	30,777	30,235	30,780	31,219
Children examined at school	7,903	11,147	10,587	12,476	11,845	12,351	14,051	8,846	9,122	11,603	12,037	12,737	11,476	13,399	11,974
Home Visits	5,906	6,159	6,092	6,866	6,907	7,648	10,174	8,187	8,531	9,624	11,471	10,532	8,190	10,637	12,245
Registered Births	1,617	1,706	1,601	1,689	1,700	1,582	1,611	1,475	1,412	1,459	1,512	1,440	1,481	1,498	1,436
Infant Deaths	21	22	19	22	15	29	15	12	12	14	15	19	26	25	17
No. of Deaths	543	542	522	597	562	525	566	603	570	559	553	554	647	668	611
Mid Year Population (5)	69,507	70,439	70,763	72,253	73,850	74,941	76,417	77,319	78,845	80,410	81,130	81,202	80,821	82,781	82,474
Crude Birth Rate	23.3	24.2	22.6	23.4	23.0	21.1	21.1	19.1	17.9	18.1	18.6	17.7	18.3	18.1	17.4
Infant Mortality Rate	13.0	12.9	11.9	13.0	8.8	18.3	9.3	8.1	8.5	9.6	9.9	13.2	17.6	16.7	11.8
Crude Death Rate	7.8	7.7	7.4	8.3	7.6	7.0	7.4	7.8	7.2	7.0	6.8	6.8	8.0	8.1	7.4

Source : Health Statistics Unit/Division of Health Planning and Information - Department of Health

Notes :

- (1) From 1988 onwards nurses were asked to screen only minor illnesses
- (2) Yellow Fever was started to be given at MOH Clinics for children in 1995
- (3) From 1988 onwards ante natal attendances from Victoria Hospital were included
- (4) From 1991 onwards Papsmeares and Dropouts were included
- (5) From 1994 the Mid Year Population estimates have been rebased using the 1994 Census Results (MECA Project 1995)

**CLINICS, SCHOOL HEALTH, DOMICILIARY CARE, MATERNAL AND CHILD HEALTH  
ATTENDANCES FOR 2004**

Table 13

HEALTH CENTRE & REGION	Normal Working		After		Dress- ing	Domici- liary- Care	School Health	MCH Seen by Doctor	MCH Seen by Nurse	Ante- Natal	Post Natal
	Hours		Normal Working								
	Doctor	Nurse	Doctor	Nurse							
<b>CENTRAL MAHE</b>	<b>76001</b>	<b>42846</b>	<b>39945</b>	<b>9554</b>	<b>18733</b>	<b>1655</b>	<b>4073</b>	<b>268</b>	<b>7023</b>	<b>16593</b>	<b>377</b>
Victoria	12745	1107	19961	461	571	0	0	0	0	12428	0
S.P.D.F	6354	3372	0	0	1321	0	0	0	0	0	0
S.M.B.	4724	0	0	0	1082	0	0	0	0	0	0
English River	36864	27941	19984	9093	10964	911	3098	268	5115	4165	302
Mont Fleuri	15314	10426	0	0	4795	744	975	0	1908	0	75
<b>NORTH MAHE</b>	<b>24943</b>	<b>11683</b>	<b>4845</b>	<b>1137</b>	<b>8713</b>	<b>1582</b>	<b>984</b>	<b>125</b>	<b>2858</b>	<b>0</b>	<b>147</b>
Beau Vallon	14,446	5,035	4,845	1,137	5497	1003	831	109	2196	0	108
Glacis	10497	6648	0	0	3216	579	153	16	662	0	39
<b>EAST MAHE</b>	<b>43498</b>	<b>23180</b>	<b>262</b>	<b>187</b>	<b>15585</b>	<b>3321</b>	<b>3053</b>	<b>362</b>	<b>6171</b>	<b>0</b>	<b>351</b>
Les Mamelles	23644	11103	0	8	7916	1847	1734	169	3409	0	195
Anse Aux Pins	19854	12077	262	179	7669	1474	1319	193	2762	0	156
<b>SOUTH MAHE</b>	<b>31634</b>	<b>23353</b>	<b>8295</b>	<b>6410</b>	<b>13181</b>	<b>2150</b>	<b>1475</b>	<b>195</b>	<b>3878</b>	<b>1672</b>	<b>185</b>
Anse Royale	17155	9271	8295	6410	7848	675	1038	99	1961	997	98
Baie Lazare	7994	7214	0	0	2658	1182	178	84	1101	472	50
Takamaka	6485	6868	0	0	2675	293	259	12	816	203	37
<b>WEST MAHE</b>	<b>30074</b>	<b>18930</b>	<b>4713</b>	<b>1826</b>	<b>14200</b>	<b>1922</b>	<b>1719</b>	<b>116</b>	<b>3286</b>	<b>1369</b>	<b>148</b>
Beoliere	8159	4253	4713	1826	5114	422	159	55	930	465	47
Port Glaud	6058	3040	0	0	2147	239	193	51	707	294	36
Anse Boileau	15857	11637	0	0	6939	1261	1367	10	1649	610	65
<b>PRASLIN</b>	<b>23131</b>	<b>13042</b>	<b>4426</b>	<b>639</b>	<b>8242</b>	<b>838</b>	<b>417</b>	<b>121</b>	<b>2525</b>	<b>1369</b>	<b>140</b>
Baie Ste Anne	12402	7237	4426	639	4462	309	123	71	1411	901	92
Grand Anse	9834	5805	0	0	3780	529	294	50	1114	468	48
Anse Kerlan	895	0	0	0	0	0	0	0	0	0	0
<b>LA DIGUE</b>	<b>7848</b>	<b>2919</b>	<b>854</b>	<b>951</b>	<b>2824</b>	<b>776</b>	<b>240</b>	<b>39</b>	<b>699</b>	<b>320</b>	<b>42</b>
<b>SILHOUETTE</b>	<b>94</b>	<b>775</b>	<b>0</b>	<b>68</b>	<b>386</b>	<b>1</b>	<b>13</b>	<b>3</b>	<b>48</b>	<b>15</b>	<b>0</b>
<b>TOTAL</b>	<b>237223</b>	<b>136728</b>	<b>63340</b>	<b>20772</b>	<b>81864</b>	<b>12245</b>	<b>11974</b>	<b>1229</b>	<b>26488</b>	<b>21338</b>	<b>1390</b>

Source : Statistics Unit - Division of Health Planning and Information - Department of Health

## IMMUNIZATION ACTIVITIES, 2004

Table 14

HEALTH CENTRES & REGION	BCG (At post Natal only)	'TRIPLE ANTIGEN & POLIO				HEPATITIS B			TETANUS		Measles		
		1st Dose	2nd Dose	3rd Dose	Boo-ster	1st Dose	2nd Dose	3rd Dose	Pregnant Women	Other Adults	Mumps Rubella	Yellow Fever	
<b>CENTRAL MAHE</b>		<b>387</b>	<b>392</b>	<b>394</b>	<b>377</b>	<b>423</b>	<b>378</b>	<b>363</b>	<b>401</b>	<b>327</b>	<b>469</b>	<b>423</b>	<b>445</b>
Victoria	G	-	-	-	-	-	-	-	-	250	329	-	-
	T	-	-	-	-	-	-	-	-	250	-	-	-
English River	G	311	311	307	291	321	300	279	318	77	137	321	336
	T	315	315	312	302	345	329	318	349	77	-	342	450
Mont Fleuri	G	76	81	87	86	102	78	84	83	-	3	102	109
	T	76	89	95	102	111	90	96	116	-	-	120	187
<b>NORTH MAHE</b>		<b>152</b>	<b>152</b>	<b>148</b>	<b>141</b>	<b>148</b>	<b>140</b>	<b>139</b>	<b>152</b>	<b>-</b>	<b>103</b>	<b>153</b>	<b>148</b>
Beau Vallon	G	113	111	110	104	113	105	102	119	-	103	121	116
	T	113	131	127	134	160	132	132	140	-	-	149	227
Glacis	G	39	41	38	37	35	35	37	33	-	-	32	32
	T	39	46	50	46	38	46	50	46	-	-	35	60
<b>EAST MAHE</b>		<b>360</b>	<b>346</b>	<b>358</b>	<b>337</b>	<b>347</b>	<b>343</b>	<b>349</b>	<b>348</b>	<b>-</b>	<b>90</b>	<b>357</b>	<b>345</b>
Les Mamelles	G	203	200	208	202	203	197	199	196	-	15	206	201
	T	203	207	220	214	244	214	229	230	-	-	235	302
Anse Aux Pins	G	157	146	150	135	144	146	150	152	-	75	151	144
	T	157	148	155	154	160	148	154	169	-	-	175	186
<b>SOUTH MAHE</b>		<b>184</b>	<b>185</b>	<b>191</b>	<b>189</b>	<b>194</b>	<b>185</b>	<b>189</b>	<b>195</b>	<b>51</b>	<b>196</b>	<b>210</b>	<b>213</b>
Anse Royale	G	102	100	96	95	84	100	96	90	30	157	89	93
	T	102	100	96	95	88	100	97	91	30	-	90	127
Baie Lazare	G	53	48	54	53	59	48	53	57	21	39	64	68
	T	53	55	66	64	62	55	66	71	21	-	67	121
Takamaka	G	29	37	41	41	51	37	40	48	-	-	57	52
	T	29	38	44	45	55	38	44	52	-	-	64	79
<b>WEST MAHE</b>		<b>132</b>	<b>157</b>	<b>163</b>	<b>164</b>	<b>152</b>	<b>156</b>	<b>153</b>	<b>135</b>	<b>49</b>	<b>86</b>	<b>154</b>	<b>140</b>
Beoliere	G	48	49	46	46	43	49	46	37	18	61	38	30
	T	48	50	49	47	44	50	49	38	18	-	38	36
Port Glaud	G	36	39	46	46	32	38	39	33	14	2	37	40
	T	36	43	50	50	34	43	48	35	14	-	41	49
Anse Boileau	G	48	69	71	72	77	69	68	65	17	23	79	70
	T	49	71	74	75	81	74	73	66	17	-	81	90
<b>PRASLIN</b>		<b>129</b>	<b>143</b>	<b>130</b>	<b>130</b>	<b>119</b>	<b>143</b>	<b>123</b>	<b>122</b>	<b>58</b>	<b>49</b>	<b>119</b>	<b>115</b>
Baie Ste Anne	G	81	94	75	76	68	94	71	69	38	29	70	65
	T	81	96	79	82	72	97	79	84	38	-	75	79
Grand Anse	G	48	49	55	54	51	49	52	53	20	20	49	50
	T	48	52	58	58	54	53	58	66	20	-	58	65
<b>LA DIGUE</b>		<b>43</b>	<b>39</b>	<b>42</b>	<b>42</b>	<b>31</b>	<b>39</b>	<b>42</b>	<b>38</b>	<b>13</b>	<b>14</b>	<b>41</b>	<b>39</b>
	T	43	49	54	51	43	49	54	51	13	-	42	58
<b>SILHOUETTE</b>		<b>-</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>-</b>	<b>2</b>	<b>2</b>
	T	-	1	1	2	4	1	1	3	1	-	2	2
<b>TOTAL GIVEN</b>		<b>1,387</b>	<b>1,415</b>	<b>1,427</b>	<b>1,382</b>	<b>1,418</b>	<b>1,385</b>	<b>1,359</b>	<b>1,394</b>	<b>499</b>	<b>1,007</b>	<b>1,459</b>	<b>1,447</b>
<b>TARGET</b>		<b>1,392</b>	<b>1,491</b>	<b>1,530</b>	<b>1,521</b>	<b>1,595</b>	<b>1,519</b>	<b>1,548</b>	<b>1,607</b>	<b>499</b>	<b>-</b>	<b>1,614</b>	<b>2,118</b>
<b>% COVERAGE</b>		<b>100%</b>	<b>95%</b>	<b>93%</b>	<b>91%</b>	<b>89%</b>	<b>91%</b>	<b>88%</b>	<b>87%</b>	<b>100%</b>	<b>-</b>	<b>90%</b>	<b>68%</b>

NB: G= GIVEN; T= TARGET.

Source : Health Statistics Unit - Division of Health Planning and Information - Department of Health

## FAMILY PLANNING CLINIC ATTENDANCES, 2004

Table 15

<b>HEALTH CENTRES &amp; REGION</b>	<b>PAP SMEAR</b>	<b>NEW ACCEPTORS</b>	<b>DROP OUTS</b>	<b>DROP-OUT RETURNING</b>	<b>CURRENT USERS</b>
<b>CENTRAL MAHE</b>	<b>1,855</b>	<b>179</b>	<b>543</b>	<b>543</b>	<b>9,377</b>
English River	1,542	140	436	418	7,221
Mont Fleuri	313	39	107	125	2,156
<b>NORTH MAHE</b>	<b>582</b>	<b>68</b>	<b>209</b>	<b>204</b>	<b>3,179</b>
Beau Vallon	347	52	146	160	2,257
Glacis	235	16	63	44	922
<b>EAST MAHE</b>	<b>951</b>	<b>139</b>	<b>498</b>	<b>455</b>	<b>6,692</b>
Les Mamelles	596	80	247	263	3,459
Anse Aux Pins	355	59	251	192	3,233
<b>SOUTH MAHE</b>	<b>702</b>	<b>76</b>	<b>219</b>	<b>290</b>	<b>4,592</b>
Anse Royale	383	44	114	160	2,612
Baie Lazare	148	17	80	77	1,113
Takamaka	171	15	25	53	867
<b>WEST MAHE</b>	<b>527</b>	<b>56</b>	<b>226</b>	<b>188</b>	<b>3,065</b>
Beoliere	130	11	43	51	890
Port Glaud	138	13	30	46	742
Anse Boileau	259	32	153	91	1,433
<b>PRASLIN</b>	<b>390</b>	<b>70</b>	<b>191</b>	<b>160</b>	<b>3,432</b>
Baie Ste Anne	238	40	137	113	1,772
Grand Anse	152	30	54	47	1,660
<b>LA DIGUE</b>	<b>142</b>	<b>19</b>	<b>40</b>	<b>43</b>	<b>815</b>
<b>SILHOUETTE</b>	<b>4</b>	<b>1</b>	<b>-</b>	<b>4</b>	<b>67</b>
<b>TOTAL</b>	<b>5,153</b>	<b>608</b>	<b>1,926</b>	<b>1,887</b>	<b>31,219</b>

Source : Statistics Unit - Division of Health Planning and Information  
Department of Health

**ANTENATAL ATTENDANCES - NEW CASES  
BY PARITY AND AGE-GROUPS FROM  
CLINICS ON MAHE, PRASLIN AND LA DIGUE FOR THE YEAR, 2004**

Table 17

Parity	Age of Woman							TOTAL
	<15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40+	
0	10	202	232	132	52	19	2	649
1	1	32	128	172	102	38	10	483
2	0	1	33	69	71	65	3	242
3	0	1	1	21	45	28	14	110
4	0	0	1	7	11	11	9	39
5+	0	0	0	2	6	10	3	21
<b>TOTAL</b>	<b>11</b>	<b>236</b>	<b>395</b>	<b>403</b>	<b>287</b>	<b>171</b>	<b>41</b>	<b>1544</b>

**BLOOD TRANSFUSION CENTRE ATTENDANCE  
BY ACTIVITY AND SEX, 2004**

Table 18

SEX	DONATION	TREATMENT	TESTING FOR OPERATION	OTHER TESTING	TOTAL
MALE	1307	1	0	165	1473
FEMALE	148	0	0	55	203
<b>TOTAL</b>	<b>1455</b>	<b>1</b>	<b>0</b>	<b>220</b>	<b>1676</b>

Source: Statistics Unit/Division of Health Planning and Information  
Department of Health

**ATTENDANCES AT SPECIALIST CLINICS ON MAHE, PRASLIN AND LA DIGUE, 2004**

Table 19

SPECIALIST CLINICS	MAHE		PRASLIN		LA DIGUE		TOTAL		TOTAL
	New Cases	Repeat Cases	New Cases	Repeat Cases	New Cases	Repeat Cases	New Cases	Repeat Cases	
PHYSIOTHERAPY	2,965	34,707	414	2,788	88	1,007	3,467	38,502	<b>41,969</b>
ANTENATAL	1,322	18,142	179	1,177	44	263	1,545	19,582	<b>21,127</b>
C. D. C. U.	6,404	2,842	-	-	-	-	6,404	2,842	<b>9,246</b>
OPHTHALMOLOGY	3,164	5,733	82	93	38	16	3,284	5,842	<b>9,126</b>
GYNAECOLOGY	1,270	4,859	137	374	65	87	1,472	5,320	<b>6,792</b>
MEDICAL	1,117	5,105	90	151	59	92	1,266	5,348	<b>6,614</b>
GENERAL SURGERY	1,556	3,969	142	180	51	71	1,749	4,220	<b>5,969</b>
ORTHOPAEDIC SURGERY	2,151	2,724	132	231	73	123	2,356	3,078	<b>5,434</b>
ACUPUNCTURE	152	4,524	-	-	-	-	152	4,524	<b>4,676</b>
PSYCHIATRY	89	3,486	13	59	2	32	104	3,577	<b>3,681</b>
EAR, NOSE, THROAT	741	2,232	47	152	28	50	816	2,434	<b>3,250</b>
PAEDIATRICS	429	2,564	27	120	25	53	481	2,737	<b>3,218</b>
DERMATOLOGY	1,290	1,236	47	44	28	30	1,365	1,310	<b>2,675</b>
NUTRITION	253	530	22	6	8	5	283	541	<b>824</b>
OPTICS	184	377	-	-	-	-	184	377	<b>561</b>
<b>TOTAL</b>	<b>23,087</b>	<b>93,030</b>	<b>1,332</b>	<b>5,375</b>	<b>509</b>	<b>1,829</b>	<b>24,928</b>	<b>100,234</b>	<b>125,162</b>

Source: Statistics Unit - Division of Health Planning & Information - Department of Health

**ATTENDANCES AND EXAMINATIONS AT THE X-RAY SECTION 1997 TO 2004**

**Table 20**

<b>TYPE OF X-RAY</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>
CHEST	7,390	6,509	7,074	6,855	6,736	6,827	6,110	6,257
LOWER LIMB	4,643	5,016	5,368	4,990	4,842	4,484	4,598	4,227
ULTRASOUND	2,784	2,810	1,871	1,979	2,705	3,437	3,414	3,653
UPPER LIMB	3,764	3,938	4,271	3,890	3,642	3,485	3,588	3,239
SPINE	2,051	2,625	2,660	2,777	2,687	2,472	2,410	2,137
SKULL	1,961	1,899	1,936	1,949	1,950	2,037	2,187	1,947
PELVIS/ABDOMEN	1,648	1,551	1,430	1,615	1,604	1,498	1,444	1,444
C. T. SCAN	457	1,102	1,202	1,346	1,446	1,172	1,021	1,006
MAMMOGRAM	-	66	128	244	310	168	-	443
THROAT	304	453	423	322	319	159	150	212
IVP	182	113	99	210	118	111	117	120
BARIUM ENEMA	139	116	74	59	15	146	71	115
SCREENING	30	18	4	59	97	76	105	85
BARIUM MEAL	188	95	65	62	19	100	54	78
HYSTEROSALPINGOGRAM	74	59	72	19	53	35	37	26
GASTROGRAFIN ENEMA	3	2	4	2	2	1	2	12
GASTROGRAFIN MEAL	22	8	9	20	12	11	6	11
URETHROGRAM	14	20	5	7	1	6	1	9
CYSTOGRAM	14	13	4	5	1	1	3	7
RETROGRADE	33	14	10	16	4	14	8	4
VENOGRAM	28	35	20	18	-	2	3	4
SINOGRAM	4	3	3	9	6	3	6	3
CHOLANGIOGRAM	9	7	-	-	-	6	7	1
SIALOGRAM	4	-	-	-	-	4	1	-
ARTHROGRAM	7	3	-	-	-	-	-	-
CHOLECYSTOGRAM	1	-	-	-	-	-	-	-
MYELOGRAM	45	12	-	-	-	-	-	-
PELVIMETRY	129	16	-	-	-	-	-	-
TOMOGRAPHY	3	3	-	-	-	-	-	-
OPERATINGTHEATRE	9	-	-	-	-	-	-	-
<b>TOTAL EXAMINATIONS</b>	<b>25,940</b>	<b>26,506</b>	<b>26,732</b>	<b>26,453</b>	<b>26,569</b>	<b>26,255</b>	<b>25,343</b>	<b>25,040</b>
Total Number of Patients X-rayed During Working Hours	17,294	17,674	18,379	18,146	18,125	18,114	17,196	17,292
Total Number of Patients X-rayed After Working Hours	4,860	4,726	5,323	5,301	5,181	5,079	5,448	5,179
<b>Total Number of Patients X-rayed</b>	<b>22,154</b>	<b>22,400</b>	<b>23,702</b>	<b>23,447</b>	<b>23,306</b>	<b>23,193</b>	<b>22,644</b>	<b>22,471</b>

Source : X-Ray Unit/Statistics Unit - Department of Health

**REPORTED CASES OF ACCIDENTAL POISONING BY CAUSE, SEX AND AGE (IN YEARS), 2004**

**Table 21**

(a) ICD CODES	DESCRIPTION	BOTH SEXES	TOTAL M F	Age (Years) & Sex															
				0		1		2		3		4		5-9		10-14		15+	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics	1	1 0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified	9	7 2	0	0	2	0	2	0	1	0	2	1	0	1	0	0	0	0
X42	Accidental poisoning by and exposure to narcotics and psychodyleptics [hallucinogens], not elsewhere classified	1	0 1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
X43	Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system	1	0 1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances	6	2 4	0	0	0	1	1	0	0	3	0	0	1	0	0	0	0	0
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours	2	2 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
X47	Accidental poisoning by and exposure to other gases and vapours	2	1 1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
X48	Accidental poisoning by and exposure to pesticides	6	5 1	0	0	0	1	1	0	1	0	0	0	0	0	2	0	1	0
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	15	9 6	1	0	1	0	4	1	1	0	0	0	0	3	1	2	1	0
<b>ALL CASES</b>		<b>43</b>	<b>27 16</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>2</b>	<b>8</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>0</b>

Source : Statistics Unit / Division of Health Planning & Information - Department of Health

Note : (a) International Classification of Diseases (10th Edition)

M = Male, F = Female

**REPORTED CASES OF INTENTIONAL SELF-HARM BY CAUSE, SEX AND AGE-GROUP IN SEYCHELLES 2004**

**Table 22**

(a) ICD CODES	DESCRIPTION	Age (Years) & Sex																		
		BOTH SEXES	TOTAL M	F	10 - 14 M	F	15 - 19 M	F	20 - 24 M	F	25 - 29 M	F	30 - 34 M	F	35 - 39 M	F	40 - 44 M	F	45+ M	F
X60	Intentional self-poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics	22	5	17	0	2	1	3	1	3	1	4	0	3	0	2	0	0	2	0
X61	Intentional self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified	18	7	11	0	0	0	3	1	1	0	2	3	3	1	0	2	0	0	2
X63	Intentional self-poisoning by and exposure to other drugs acting on the autonomic nervous system	2	0	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
X64	Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances	47	8	39	0	2	0	12	4	9	1	4	2	8	0	1	0	1	1	2
X65	Intentional self-poisoning by and exposure to alcohol	2	0	2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
X66	Intentional self-poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
X67	Intentional self-poisoning by and exposure to other gases and vapours	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
X68	Intentional self-poisoning by and exposure to pesticides	5	3	2	0	0	0	0	1	0	0	0	1	0	0	0	0	2	1	0
X69	Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances	13	8	5	0	0	1	2	2	2	1	0	3	0	0	1	1	0	0	0
X70	Intentional self-harm by hanging, strangulation and suffocation	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
<b>ALL CASES</b>		<b>112</b>	<b>34</b>	<b>78</b>	<b>0</b>	<b>4</b>	<b>2</b>	<b>20</b>	<b>9</b>	<b>15</b>	<b>4</b>	<b>11</b>	<b>10</b>	<b>15</b>	<b>1</b>	<b>5</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>

Source : Statistics Unit/ Division of Health Planning & Information - Department of Health

Note : (a) International Classification of Diseases (10th Edition)

M = Male, F = Female

## HOSPITAL BEDS BY LOCATION AND TYPE OF WARD, 2004

Table 23

Location/ type of ward	Number of beds December 2004
<b><u>TOTAL</u></b>	<b>416</b>
<b>Victoria Hospital</b>	<b>242</b>
Medical	
- Male	26
- Female	26
Surgical	
- Male	49
- Female	44
- Intensive care unit	6
Psychiatric	13
Paediatric	30
Maternity	48
<b>Les Canelles Psychiatric Hospital</b>	<b>50</b>
<b>Others (general wards)</b>	<b>124</b>
Anse Royale Hospital	19
Baie Ste Anne Hospital	35
Logan Hospital, La Digue	15
Silhouette Clinic	12
North East Point Hospital	43

Source : Statistics Unit/ Division of Health Planning & information - Department of Health

## HOSPITAL BEDS BY LOCATION AND TYPE OF WARD, 1982 TO 2004

**Table 24**

Location/Type of Ward	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
<b>Victoria Hospital</b>	212	223	228	229	249	249	246	246	248	247	244	252	248	248	246	246	229	229	218	210	241	240	242
<b>Mental Hospital (Les Canelles)</b>	44	65	62	62	62	62	60	60	60	50	60	67	60	60	55	55	48	48	50	50	46	42	50
<b>Anse Royale Hospital</b>	26	24	26	26		26	29	24	26	26	26	24	24	25	24	24	24	24	24	25	24	20	19
<b>Baie Ste Anne Hospital</b>	26	26	26	26	26	26	26	26	26	25	23	24	24	26	24	24	36	35	35	36	36	35	35
<b>Logan Hospital</b>	10	10	11	11	11	11	10	10	9	9	9	9	12	13	13	13	13	13	15	13	13	14	15
<b>Beoliere Clinic</b>	4																						
<b>Silhouette Clinic</b>	4	4	3	3	3	3	10	10	10	10	11	8	8	10	8	8	8	8	10	11	10	10	12
<b>North East Point Hospital</b>							60	60	44	44	40	40	40	44	44	44	64	88	68	68	68	54	43
<b>TOTAL</b>	<b>326</b>	<b>352</b>	<b>356</b>	<b>357</b>	<b>351</b>	<b>377</b>	<b>441</b>	<b>436</b>	<b>423</b>	<b>411</b>	<b>413</b>	<b>424</b>	<b>416</b>	<b>426</b>	<b>414</b>	<b>414</b>	<b>422</b>	<b>445</b>	<b>420</b>	<b>413</b>	<b>438</b>	<b>415</b>	<b>416</b>

Source: Statistics Unit - Division of Health Planning & Information - Department of Health

**VICTORIA HOSPITAL WARDS**  
**Bed Nights, Admissions and Deaths, 2004**

**Table 25**

<b>Ward</b>	<b>Sex</b>	<b>Bed Nights</b>	<b>Admissions</b>	<b>Deaths</b>
<b>Medical</b>	Total	12,309	3,000	135
	Male	7,012	1,562	64
	Female	5,297	1,438	71
<b>Surgical</b>	Total	20,286	3,941	50
	Male	9,506	1,629	18
	Female	10,780	2,312	32
<b>Paediatric</b>	Total	6,541	1,683	4
	Male	3,812	1,026	2
	Female	2,729	657	2
<b>Maternity*</b>		8,890	1,864	13
<b>ICU</b>	Total	829	287	82
	Male	592	174	57
	Female	237	113	25
<b>Psychiatric</b>	Total	4,128	491	0
	Male	2,451	320	0
	Female	1,677	171	0
<b>TOTAL</b>		<b>52,983</b>	<b>11,266</b>	<b>284</b>

\* Deaths are Neonatal Deaths only

**Source: Statistics Unit/Division of Health Planning & Information**  
**- Department of Health**

## VICTORIA HOSPITAL - OCCUPANCY AND AVERAGE LENGTH OF STAY, 2004

**Table 26**

Ward		% Bed occupancy	Average length of stay (night)	Admission per bed (number)
Medical	- male	73.69	4.49	60.08
	- female	54.82	3.68	55.31
Surgical	- male	53.01	5.84	33.24
	- female	66.94	4.66	52.54
Paediatric		59.57	3.89	56.10
Maternity		50.60	4.77	38.83
I.C.U.		37.75	2.89	47.83
Psychiatric		86.76	8.41	37.77
<b>All Wards</b>		<b>59.82</b>	<b>4.70</b>	<b>46.55</b>

**Source: Statistics Unit/Division of Health Planning & Information - Department of Health**

**PAEDIATRIC WARD, VICTORIA HOSPITAL**

**Bed Nights, Admissions and Deaths, 2004**

**Table 27**

<b>MONTHS</b>	<u><b>Bed Nights</b></u>		<u><b>Admissions</b></u>		<u><b>Deaths</b></u>	
	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
<b>JANUARY</b>	405	248	93	70	0	0
<b>FEBRUARY</b>	343	289	97	61	0	0
<b>MARCH</b>	325	257	89	82	0	0
<b>APRIL</b>	303	259	83	58	1	0
<b>MAY</b>	308	261	78	57	0	0
<b>JUNE</b>	281	247	75	42	0	2
<b>JULY</b>	302	235	98	40	0	0
<b>AUGUST</b>	276	180	70	43	0	0
<b>SEPTEMBER</b>	302	161	72	34	0	0
<b>OCTOBER</b>	287	195	84	49	0	0
<b>NOVEMBER</b>	426	172	112	62	1	0
<b>DECEMBER</b>	254	225	75	59	0	0
<b>TOTAL</b>	<b>3812</b>	<b>2729</b>	<b>1026</b>	<b>657</b>	<b>2</b>	<b>2</b>

**Source: Paediatric Ward : Weekly In-patient Statistical Returns**

**PAEDIATRIC WARD, VICTORIA HOSPITAL**  
**Frequency of Occupied Beds, 2004**

**Table 28**

<b>Number of Beds Occupied</b>	<b>Number of Nights on which X Beds Occupied</b>	<b>Cumulative Frequency X or Less</b>
6	1	1
7	1	2
8	2	4
9	4	6
10	12	18
11	15	33
12	9	42
13	16	58
14	16	74
15	28	102
16	24	126
17	28	154
18	43	197
19	36	233
20	27	260
21	27	287
22	16	303
23	18	321
24	15	336
25	12	348
26	4	352
27	5	357
28	4	361
30	2	363
31	3	366

**Source: Paediatric Ward / Statistics Unit - Department of Health**

**PAEDIATRIC WARD, 2004**

<b>Bed Occupancy Rate</b>	=	$\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$	
		Occupied Bed Nights	= 6,541
		Available Bed Nights	= 30 x 366 = 10,980
		Bed Occupancy Rate	= <b>59.57%</b>
<b>Average Length of Stay</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Admission}}$	$\frac{6,541}{1,683}$
			= <b>3.89 days</b>
Male Patients:		Occupied Bed Nights	= 3,812
		Admissions	= 1026
		Average Length of Stay	= <b>3.72 days</b>
Female Patients:		Occupied Bed Nights	= 2,729
		Admissions	= 657
		Average Length of Stay	= <b>4.15 days</b>
<b>Throughput</b>	=	$\frac{\text{Admissions per Year}}{\text{Average Available Beds}}$	$\frac{1,683}{30}$
			= <b>56.10 cases per bed per year</b>

## MALE AND FEMALE MEDICAL WARDS, VICTORIA HOSPITAL 2004

### Bed Nights, Admissions and Deaths

Table 29

MONTHS	Bed Nights			Admissions			Deaths		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
JANUARY	696	420	1116	163	148	311	7	7	14
FEBRUARY	612	415	1027	138	125	263	3	4	7
MARCH	666	506	1172	156	140	296	3	9	12
APRIL	526	482	1008	131	117	248	2	4	6
MAY	498	493	991	121	102	223	4	4	8
JUNE	584	455	1039	117	101	218	3	3	6
JULY	618	405	1023	119	104	223	9	3	12
AUGUST	607	451	1058	129	129	258	4	5	9
SEPTEMBER	610	399	1009	121	97	218	5	5	10
OCTOBER	557	395	952	124	101	225	11	7	18
NOVEMBER	489	429	918	113	141	254	3	13	16
DECEMBER	549	447	996	130	133	263	10	7	17
<b>TOTAL</b>	<b>7012</b>	<b>5297</b>	<b>12309</b>	<b>1562</b>	<b>1438</b>	<b>3000</b>	<b>64</b>	<b>71</b>	<b>135</b>

Source: Weekly In-Patient Statistical Returns - Male and Female Medical Wards

**MALE MEDICAL WARD, VICTORIA HOSPITAL**  
**Frequency Distribution of Occupancy Bed, 2004**

**Table 30**

<b>Number of Beds Occupied</b>	<b>Number of Nights on Which X Beds Occupied</b>	<b>Cummulative Frequency X or Less</b>
7	1	1
8	3	4
9	1	5
10	3	8
11	2	10
12	8	18
13	13	31
14	16	47
15	12	59
16	33	92
17	25	117
18	34	151
19	48	199
20	39	238
21	29	267
22	28	295
23	19	314
24	16	330
25	13	346
26	5	351
27	5	356
28	6	362
29	2	364
30	1	365
32	1	366

**Source: Male Medical Ward / Statistics Unit - Department of Health**

**FEMALE MEDICAL WARD, VICTORIA HOSPITAL**  
**Frequency of Occupancy Beds, 2004**

**Table 31**

<b>Number of Beds Occupied</b>	<b>Number of Nights on Which X Beds Occupied</b>	<b>Cummulative Frequency X or Less</b>
5	1	1
7	4	5
8	5	10
9	11	21
10	19	40
11	20	60
12	28	88
13	33	121
14	55	176
15	48	224
16	37	261
17	45	306
18	24	330
19	15	345
20	10	355
21	8	363
22	3	366

**Source: Female Medical Ward / Statistics Unit - Department of Health**

**FEMALE AND MALE MEDICAL WARDS, 2004**

<b>Bed Occupancy Rate</b>	=	$\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$	
<b><u>Medical Wards:</u></b>		Occupied Bed Nights	= <u>12,309</u>
		Available Bed Nights	= 52 x 366 = <u>19,032</u>
		Occupancy Rate	= <b>64.68%</b>
Male Medical:		Occupied Bed Nights	= <u>7,012</u>
		Available Bed Nights	= 26 x 366 = <u>9,516</u>
		Occupancy Rate	= <b>73.69%</b>
Female Medical:		Occupied Bed Nights	= <u>5,297</u>
		Available Bed Nights	= 26 x 366 = <u>9,516</u>
		Occupancy Rate	= <b>54.82%</b>
<b>Average Length of Stay</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$	
Male Medical:		Occupied Bed Nights	= <u>7,012</u>
		Admissions	= <u>1,562</u>
		Average Length of Stay	= <b>4.49 days</b>
Female Medical:		Occupied Bed Nights	= <u>5,297</u>
		Admissions	= <u>1,438</u>
		Average Length of Stay	= <b>3.68 days</b>
<b>Throughput</b>	=	$\frac{\text{Admissions per Year}}{\text{Average Available Beds}}$	
Male Medical:		Admissions per year	= <u>1,562</u>
		Average Available Beds	= <u>26</u>
			= <b>60.08 cases per bed per year</b>
Female Medical:		Admissions per year	= <u>1,438</u>
		Average Available Beds	= <u>26</u>
			= <b>55.31 cases per bed per year</b>

**MATERNITY WARD, VICTORIA HOSPITAL - 2004**

**Table 32**

Months	BedNights	Admissions	Deaths		
			Still Births	Maternal	NeoNatal
January	677	137	0	0	0
February	785	163	1	0	1
March	790	175	0	0	1
April	801	177	1	0	0
May	783	194	0	0	0
June	710	153	0	0	4
July	692	152	1	0	2
August	774	151	1	0	0
September	771	137	1	0	0
October	780	148	2	0	2
November	671	130	0	0	1
December	656	147	1	0	2
<b>TOTAL</b>	<b>8890</b>	<b>1864</b>	<b>8</b>	<b>0</b>	<b>13</b>

**Source: Weekly Returns - Maternity Wards/Statistics Unit**

**MATERNITY WARD, VICTORIA HOSPITAL**  
**Frequency Distribution of Occupied Beds, 2004**

**Table 33**

<b>Number of Beds Occupied</b>	<b>Number of Nights on which X Beds Occupied</b>	<b>Cumulative Frequency X or Less</b>
11	2	2
13	6	8
14	1	9
15	3	12
16	8	20
17	11	31
18	10	41
19	18	59
20	16	75
21	29	104
22	27	131
23	29	160
24	29	189
25	34	223
26	26	249
27	28	277
28	19	296
29	10	306
30	13	319
31	9	328
32	7	336
33	11	347
34	7	354
35	4	358
36	4	362
37	2	364
38	2	366

**Source: Maternity Ward/Statistics Unit - Department of Health**

**MATERNITY WARD, VICTORIA HOSPITAL, 2004**

<b>Bed Occupancy Rate</b>	=	$\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$	
		Occupied Bed Nights	= <u>8,890</u>
		Available Bed Nights	= 48 x 366 = 17,568
		Occupancy Rate	= <b>50.60%</b>
<b>Average Length of Stay</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$	= <u>8,890</u>
		Average Length of Stay	= <b>4.77days</b>
<b>Thoughtput</b>	=	$\frac{\text{Admissions per year}}{\text{Average Available Beds}}$	= <u>1,864</u>
			= <b>38.83 cases per bed per year</b>

**MALE (D'OFFAY) AND FEMALE (HERMITTE) WARDS  
INCLUDING GYNAECOLOGY, VICTORIA HOSPITAL  
Bed Nights, Admissions and Deaths, 2004**

**Table 34**

<b>MONTHS</b>	<b>Bed Nights</b>			<b>Admissions</b>			<b>Deaths</b>		
	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>
<b>JANUARY</b>	791	771	<b>1562</b>	139	173	<b>312</b>	3	1	<b>4</b>
<b>FEBRUARY</b>	773	807	<b>1580</b>	132	192	<b>324</b>	0	3	<b>3</b>
<b>MARCH</b>	865	1062	<b>1927</b>	162	218	<b>380</b>	0	3	<b>3</b>
<b>APRIL</b>	759	1032	<b>1791</b>	139	223	<b>362</b>	2	4	<b>6</b>
<b>MAY</b>	784	1014	<b>1798</b>	133	225	<b>358</b>	2	3	<b>5</b>
<b>JUNE</b>	676	839	<b>1515</b>	115	171	<b>286</b>	2	3	<b>5</b>
<b>JULY</b>	933	990	<b>1923</b>	149	200	<b>349</b>	2	2	<b>4</b>
<b>AUGUST</b>	814	916	<b>1730</b>	148	209	<b>357</b>	2	2	<b>4</b>
<b>SEPTEMBER</b>	812	805	<b>1617</b>	122	153	<b>275</b>	1	0	<b>1</b>
<b>OCTOBER</b>	685	883	<b>1568</b>	133	183	<b>316</b>	3	5	<b>8</b>
<b>NOVEMBER</b>	758	865	<b>1623</b>	129	204	<b>333</b>	1	3	<b>4</b>
<b>DECEMBER</b>	856	796	<b>1652</b>	128	161	<b>289</b>	0	3	<b>3</b>
<b>TOTAL</b>	<b>9506</b>	<b>10780</b>	<b>20286</b>	<b>1629</b>	<b>2312</b>	<b>3941</b>	<b>18</b>	<b>32</b>	<b>50</b>

Source: Male and Female Surgical Wards: Weekly In-Patient Statistical Returns

**MALE SURGICAL WARD, VICTORIA HOSPITAL  
Frequency of Occupied Beds, 2004**

**Table 35**

<b>Number of Beds Occupied</b>	<b>Number of Nights on which x beds Occupied</b>	<b>Cummulative Frequency or Less</b>
10	2	2
13	1	3
15	3	6
16	1	7
17	4	11
18	5	16
19	16	32
20	14	46
21	23	69
22	17	86
23	25	111
24	25	136
25	29	165
26	30	195
27	31	226
28	26	252
29	15	267
30	24	291
31	19	310
32	16	326
33	9	335
34	4	339
35	7	347
36	9	356
37	3	359
38	4	363
39	2	365
40	1	366

**Source: Male Surgical Ward/Statistics Unit - Department of Health**

**FEMALE SURGICAL WARD, VICTORIA HOSPITAL  
Frequency of Occupied Beds, 2004**

**Table 36**

<b>Number of Beds Occupied</b>	<b>Number of Nights on which x beds Occupied</b>	<b>Cumulative Frequency or Less</b>
11	1	1
12	1	2
14	1	3
15	1	4
16	2	6
17	4	10
18	5	15
19	5	20
20	8	28
21	11	39
22	14	52
23	8	60
24	14	74
25	14	88
26	25	113
27	22	135
28	25	160
29	29	189
30	24	213
31	17	230
32	16	246
33	19	265
34	16	281
35	15	296
36	17	313
37	14	327
38	5	332
39	7	339
40	6	345
41	5	350
42	9	359
43	5	364
44	1	365
45	1	366

**Source:Female Surgical Ward/Statistics Unit - Department of Health**

**MALE SURGICAL (D'OFFAY)  
AND  
FEMALE SURGICAL (HERMITTE) WARDS, 2004**

<b>Bed Occupancy Rate</b>	=	$\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$	
<b>Surgical Block:</b>	Occupied Bed Nights	=	<u>20,286</u>
	Available Bed Nights	=	93 x 366 = 34,038
	Occupancy Rate	=	<b>59.60%</b>
Male Surgical: (D'Offay)	Occupied Bed Nights	=	<u>9,506</u>
	Available Bed Nights	=	49 x 366 = 17,934
	Occupancy Rate	=	<b>53.01%</b>
Female Surgical: (Hermitte)	Occupied Bed Nights	=	<u>10,780</u>
	Available Bed Nights	=	44 x 366 = 16,104
	Occupancy Rate	=	<b>66.94%</b>
<b>Average Length of Stay</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$	
Male Surgical:	Occupied Bed Nights	=	<u>9,506</u>
	Admissions	=	1,629
	Average Length of Stay	=	<b>5.84 days</b>
Female Surgical:	Occupied Bed Nights	=	<u>10,780</u>
	Admissions	=	2,312
	Average Length of Stay	=	<b>4.66 days</b>
<b>Throughput</b>	=	$\frac{\text{Admissions per Year}}{\text{Average Available Beds}}$	
Male Surgical:	Admissions per Year		<u>1,629</u>
	Average Available Beds		49
		=	<b>33.24 cases per bed per year</b>
Female Surgical:	Admissions per Year		<u>2,312</u>
	Average Available Beds		44
		=	<b>52.54 cases per bed per year</b>

**INTENSIVE CARE UNIT VICTORIA HOSPITAL**

**Bed Nights, Admissions and Deaths, 2004**

**Table 37**

Months	Bed Nights			Admissions			Deaths		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
January	37	15	<b>52</b>	13	8	<b>21</b>	0	2	<b>2</b>
February	50	16	<b>66</b>	14	11	<b>25</b>	7	0	<b>7</b>
March	104	10	<b>114</b>	24	9	<b>33</b>	9	1	<b>10</b>
April	28	21	<b>49</b>	15	15	<b>30</b>	2	1	<b>3</b>
May	35	16	<b>51</b>	17	13	<b>30</b>	8	1	<b>9</b>
June	54	33	<b>87</b>	10	2	<b>12</b>	3	1	<b>4</b>
July	42	32	<b>74</b>	14	7	<b>21</b>	2	3	<b>5</b>
August	51	18	<b>69</b>	13	12	<b>25</b>	6	5	<b>11</b>
September	63	3	<b>66</b>	13	4	<b>17</b>	5	1	<b>6</b>
October	50	15	<b>65</b>	19	7	<b>26</b>	8	4	<b>12</b>
November	61	12	<b>73</b>	9	12	<b>21</b>	5	5	<b>10</b>
December	17	46	<b>63</b>	13	13	<b>26</b>	2	1	<b>3</b>
<b>TOTAL</b>	<b>592</b>	<b>237</b>	<b>829</b>	<b>174</b>	<b>113</b>	<b>287</b>	<b>57</b>	<b>25</b>	<b>82</b>

**Source: Intensive Care Unit: Weekly In-Patient Statistical Returns**

**INTENSIVE CARE UNIT, VICTORIA HOSPITAL**

**Frequency Distribution of Occupied Bed Nights, 2004**

**Table 38**

Number of Beds Occupied	Number of Nights on which X beds occupied	Cumulative Frequency X or Less
0	17	17
1	78	95
2	133	228
3	81	309
4	44	353
5	13	366

Source: Weekly Statistical Returns Intensive Care Unit/ Statistics Unit

**INTENSIVE CARE UNIT - 2004**

<b>Bed Occupancy Rate</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Available Bed Nights}} \times 100$	
		Occupied Bed Nights	= 829
		Available Bed Nights	= 6 x 366 = 2,196
		Occupancy Rate	= <b>37.75%</b>
<b>Average Length of Stay</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$	= $\frac{829}{287}$
			= <b>2.89 days</b>
<b>Male Patients</b>		Occupied Bed Nights	= 592
		Admissions	= 174
		Average Length of Stay	= <b>3.40 days</b>
<b>Female Patients</b>		Occupied Bed Nights	= 237
		Admissions	= 113
		Average Length of Stay	= <b>2.10 days</b>
<b>Throughput</b>	=	$\frac{\text{Admissions per Year}}{\text{Average Available Beds}}$	= $\frac{287}{6}$
			= <b>47.83 cases per bed per year</b>

**PSYCHIATRIC WARD, VICTORIA HOSPITAL**

**Bed Nights, Admissions and Deaths, 2004**

**Table 39**

<b>MONTHS</b>	<u><b>Bed Nights</b></u>		<u><b>Admissions</b></u>		<u><b>Deaths</b></u>	
	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
<b>JANUARY</b>	181	109	20	15	0	0
<b>FEBRUARY</b>	136	124	18	15	0	0
<b>MARCH</b>	151	167	28	12	0	0
<b>APRIL</b>	215	71	26	10	0	0
<b>MAY</b>	157	107	28	8	0	0
<b>JUNE</b>	248	188	25	21	0	0
<b>JULY</b>	207	172	30	16	0	0
<b>AUGUST</b>	190	98	25	11	0	0
<b>SEPTEMBER</b>	221	158	26	15	0	0
<b>OCTOBER</b>	203	175	34	17	0	0
<b>NOVEMBER</b>	238	134	25	20	0	0
<b>DECEMBER</b>	304	174	35	11	0	0
<b>TOTAL</b>	<b>2451</b>	<b>1677</b>	<b>320</b>	<b>171</b>	<b>0</b>	<b>0</b>

**Source: Psychiatric Ward : Weekly In-patient Statistical Returns**

**PSYCHIATRIC WARD, VICTORIA HOSPITAL**  
**Frequency of Occupied Beds, 2004**

Table 40

Number of Beds Occupied	Number of Nights on which X Beds Occupied	Cumulative Frequency X or Less
4	1	1
5	4	5
6	12	17
7	14	31
8	26	57
9	63	120
10	43	163
11	36	199
12	35	234
13	47	281
14	25	306
15	23	329
16	15	344
17	13	357
18	3	360
19	3	363
20	3	366

Source: Psychiatric Ward / Statistics Unit - Department of Health

**PSYCHIATRIC WARD, 2004**

<b>Bed Occupancy Rate</b>	=	$\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$	
		Occupied Bed Nights	= 4,128
		Available Bed Nights	= 13 x 366 = 4,758
		Bed Occupancy Rate	= <b>86.74%</b>
<b>Average Length of Stay</b>	=	$\frac{\text{Occupied Bed Nights}}{\text{Admission}}$	$\frac{4,128}{491}$
			= <b>8.41 days</b>
<b>Male Patients:</b>		Occupied Bed Nights	= 2,451
		Admissions	= 320
		Average Length of Stay	= <b>7.66 days</b>
<b>Female Patients:</b>		Occupied Bed Nights	= 1,677
		Admissions	= 171
		Average Length of Stay	= <b>9.81 days</b>
<b>Thoughtput</b>	=	$\frac{\text{Admissions per Year}}{\text{Average Available Beds}}$	$\frac{491}{13}$
			= <b>37.77 cases per bed per year</b>

**BEDNIGHTS, ADMISSIONS AND DEATHS BY MONTHS  
AT ANSE ROYALE HOSPITAL, 2004**

**Table 41**

<b>Months</b>	<b>Bed Nights</b>			<b>Admissions</b>			<b>Deaths</b>		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>January</b>	22	11	<b>33</b>	12	7	<b>19</b>	0	0	<b>0</b>
<b>February</b>	42	27	<b>69</b>	21	10	<b>31</b>	0	0	<b>0</b>
<b>March</b>	78	55	<b>133</b>	24	17	<b>41</b>	0	0	<b>0</b>
<b>April</b>	74	23	<b>97</b>	27	11	<b>38</b>	0	0	<b>0</b>
<b>May</b>	74	52	<b>126</b>	34	24	<b>58</b>	0	0	<b>0</b>
<b>June</b>	91	64	<b>155</b>	28	16	<b>44</b>	0	0	<b>0</b>
<b>July</b>	70	102	<b>172</b>	22	27	<b>49</b>	2	0	<b>2</b>
<b>August</b>	75	90	<b>165</b>	34	20	<b>54</b>	0	0	<b>0</b>
<b>September</b>	106	117	<b>223</b>	33	30	<b>63</b>	0	0	<b>0</b>
<b>October</b>	114	62	<b>176</b>	36	17	<b>53</b>	3	1	<b>4</b>
<b>November</b>	106	112	<b>218</b>	31	27	<b>58</b>	0	0	<b>0</b>
<b>December</b>	75	68	<b>143</b>	23	19	<b>42</b>	1	1	<b>2</b>
<b>TOTAL</b>	<b>927</b>	<b>783</b>	<b>1710</b>	<b>325</b>	<b>225</b>	<b>550</b>	<b>6</b>	<b>2</b>	<b>8</b>

**Source: Anse Royale Hospital: Weekly In-Patient Statistical Returns**

**ANSE ROYALE HOSPITAL**  
**Frequency of Occupied Beds 2004**

**Table 42**

Number of Occupied Beds	Number of Nights on which X beds Occupied	Cummulative Frequency or less
0	16	16
1	29	45
2	30	75
3	46	121
4	57	178
5	55	233
6	46	279
7	38	317
8	26	343
9	12	355
10	7	362
11	2	364
12	2	366

**Source: Anse Royale Hospital In-patient Statistics/Statistics Unit**

**ANSE ROYALE HOSPITAL**

**Bed Occupancy Rate** =  $\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$

Occupied Bed Nights = 1,710  
 Available Bed Nights = 19 x 366 = 6,954  
 Occupancy Rate = **24.60%**

**Average Length of Stay** =  $\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$  =  $\frac{1,710}{550}$

= **3.11 days**

**Throughput** =  $\frac{\text{Admissions per year}}{\text{Average Available Beds}}$  =  $\frac{550}{19}$

= **28.95 cases per bed per year**

**BEDNIGHTS, ADMISSIONS AND DEATHS BY MONTHS  
BAIE STE ANNE HOSPITAL, 2004**

**Table 43**

<b>Months</b>	<b>Bed Nights</b>			<b>Admissions</b>			<b>Deaths</b>		
	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>
<b>January</b>	118	60	<b>178</b>	39	31	<b>70</b>	2	0	<b>2</b>
<b>February</b>	121	114	<b>235</b>	36	49	<b>85</b>	0	2	<b>2</b>
<b>March</b>	120	87	<b>207</b>	34	43	<b>77</b>	3	0	<b>3</b>
<b>April</b>	58	49	<b>107</b>	23	19	<b>42</b>	1	2	<b>3</b>
<b>May</b>	23	76	<b>99</b>	15	25	<b>40</b>	1	1	<b>2</b>
<b>June</b>	43	127	<b>170</b>	18	44	<b>62</b>	0	0	<b>0</b>
<b>July</b>	45	58	<b>103</b>	23	22	<b>45</b>	1	2	<b>3</b>
<b>August</b>	55	49	<b>104</b>	25	20	<b>45</b>	0	0	<b>0</b>
<b>September</b>	68	64	<b>132</b>	20	27	<b>47</b>	0	0	<b>0</b>
<b>October</b>	77	55	<b>132</b>	27	24	<b>51</b>	1	1	<b>2</b>
<b>November</b>	77	103	<b>180</b>	26	43	<b>69</b>	0	0	<b>0</b>
<b>December</b>	74	72	<b>146</b>	25	30	<b>55</b>	0	0	<b>0</b>
<b>TOTAL</b>	<b>879</b>	<b>914</b>	<b>1793</b>	<b>311</b>	<b>377</b>	<b>688</b>	<b>9</b>	<b>8</b>	<b>17</b>

**Source: Baie Ste Anne Hospital: Weekly In-Patient Statistical Returns**

**BAIE STE ANNE HOSPITAL  
Frequency of Occupied Beds, 2004**

**Table 44**

Number of Occupied Beds	Number of Nights on which x beds Occupied	Cumulative Frequency or Less
0	9	9
1	16	25
2	53	78
3	49	127
4	38	165
5	66	231
6	38	269
7	34	303
8	18	321
9	19	340
10	10	350
11	8	358
12	3	361
13	2	363
14	1	364
15	1	365
18	1	366

Source: Baie Ste Anne Hospital/Weekly Statistical Returns

**BAIE STE ANNE HOSPITAL**

**Bed Occupancy Rate** =  $\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$

Occupied Bed Nights                      1793  
 Available Bed Nights 35 x 366 =                      12,810  
 Occupancy Rate                                      **14.00%**

**Average Length of Stay** =  $\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$  =  $\frac{1,793}{688}$   
**2.61 days**

**Throughput** =  $\frac{\text{Admissions per Year}}{\text{Average Available Beds}}$  =  $\frac{688}{35}$   
**19.7 cases per bed per year**

**BEDNIGHTS, ADMISSIONS AND DEATHS BY MONTHS  
LOGAN HOSPITAL - LA DIGUE, 2004**

**Table 45**

<b>Months</b>	<b>Bed Nights</b>			<b>Admissions</b>			<b>Deaths</b>		
	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>	<b>Male</b>	<b>Female</b>	<b>Total</b>
<b>January</b>	5	16	<b>21</b>	4	13	<b>17</b>	0	0	<b>0</b>
<b>February</b>	32	22	<b>54</b>	9	12	<b>21</b>	0	0	<b>0</b>
<b>March</b>	34	9	<b>43</b>	5	7	<b>12</b>	0	0	<b>0</b>
<b>April</b>	49	12	<b>61</b>	8	4	<b>12</b>	0	0	<b>0</b>
<b>May</b>	39	15	<b>54</b>	16	9	<b>25</b>	0	0	<b>0</b>
<b>June</b>	39	40	<b>79</b>	15	22	<b>37</b>	0	0	<b>0</b>
<b>July</b>	21	58	<b>79</b>	16	26	<b>42</b>	1	0	<b>1</b>
<b>August</b>	49	57	<b>106</b>	23	26	<b>49</b>	0	0	<b>0</b>
<b>September</b>	34	39	<b>73</b>	16	23	<b>39</b>	0	0	<b>0</b>
<b>October</b>	35	59	<b>94</b>	19	26	<b>45</b>	1	0	<b>1</b>
<b>November</b>	11	21	<b>32</b>	7	9	<b>16</b>	0	0	<b>0</b>
<b>December</b>	14	24	<b>38</b>	10	16	<b>26</b>	0	0	<b>0</b>
<b>TOTAL</b>	<b>362</b>	<b>372</b>	<b>734</b>	<b>148</b>	<b>193</b>	<b>341</b>	<b>2</b>	<b>0</b>	<b>2</b>

**Source: Logan Hospital - La Digue : Weekly In-Patient Statistical Returns**

**LOGAN HOSPITAL - LA DIGUE**  
**Frequency of Occupied Bed Nights, 2004**

**Table 46**

Number of Occupied Beds	Number of Nights on which x beds Occupied	Cummulative Frequency or Less
0	55	55
1	110	165
2	92	257
3	50	307
4	30	337
5	12	349
6	11	360
7	2	362
8	2	364
9	1	365
10	1	366

Source: Logan Hospital / La Digue - Weekly statistical returns

**LOGAN HOSPITAL - LA DIGUE**

<b>Bed Occupancy Rate</b>	= $\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$	
	Occupied Bed Nights 734	
	Available Bed Nights 15 x 366 =	5,490
	Bed Occupancy Rate <b>13.40%</b>	
<b>Average Length of Stay</b>	= $\frac{\text{Occupied Bed Nights}}{\text{Admissions}}$ =	<u>734</u>
		341
	<b>2.2 days</b>	
<b>Throughput</b>	= $\frac{\text{Admissions per year}}{\text{Average Available Beds}}$ =	<u>341</u>
		15
	<b>22.7 cases per bed per year</b>	

**BEDNIGHTS, ADMISSIONS AND DEATHS BY MONTHS  
NORTH EAST POINT HOSPITAL, 2004**

**Table 47**

<b>Months</b>	<b>Bed Nights</b>			<b>Admissions</b>			<b>Deaths</b>		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>January</b>	954	550	<b>1504</b>	1	3	<b>4</b>	0	0	<b>0</b>
<b>February</b>	794	514	<b>1308</b>	2	1	<b>3</b>	1	0	<b>1</b>
<b>March</b>	717	558	<b>1275</b>	3	1	<b>4</b>	1	1	<b>2</b>
<b>April</b>	625	520	<b>1145</b>	3	1	<b>4</b>	1	0	<b>1</b>
<b>May</b>	666	521	<b>1187</b>	3	1	<b>4</b>	0	0	<b>0</b>
<b>June</b>	585	518	<b>1103</b>	7	2	<b>9</b>	1	0	<b>1</b>
<b>July</b>	653	597	<b>1250</b>	4	4	<b>8</b>	0	0	<b>0</b>
<b>August</b>	654	603	<b>1257</b>	4	5	<b>9</b>	1	3	<b>4</b>
<b>September</b>	650	588	<b>1238</b>	3	5	<b>8</b>	1	2	<b>3</b>
<b>October</b>	680	615	<b>1295</b>	1	5	<b>6</b>	0	1	<b>1</b>
<b>November</b>	649	602	<b>1251</b>	2	5	<b>7</b>	1	2	<b>3</b>
<b>December</b>	621	603	<b>1224</b>	3	2	<b>5</b>	1	1	<b>2</b>
<b>TOTAL</b>	<b>8248</b>	<b>6789</b>	<b>15037</b>	<b>36</b>	<b>35</b>	<b>71</b>	<b>8</b>	<b>10</b>	<b>18</b>

**Source: North East Point Hospital : Weekly In-Patient Statistical Returns**

**NORTH EAST POINT HOSPITAL**

**Frequency of Occupied Beds 2004**

**Table 48**

Number of Beds Occupied	Number of Nights on which X beds is occupied	Cummulative Frequency or Less
35	1	1
36	19	20
37	23	43
38	49	92
39	25	117
40	35	152
41	75	227
42	55	282
43	35	317
44	7	324
47	12	336
48	10	346
49	11	357
50	9	366

Source: North East Point Hospital In-Patient Statistics/Statistics Unit

**NORTH EAST POINT HOSPITAL 2004**

**Bed Occupancy Rate** = 
$$\frac{\text{Occupied Bed Nights} \times 100}{\text{Available Bed Nights}}$$

Occupied Bed Nights = 15,037  
 Available Bed Nights = 43 x 366 = 15,738  
 Occupancy Rate = **96.00%**

**Average Length of Stay** = 
$$\frac{\text{Occupied Bed Nights}}{\text{Admissions}} = \frac{15,037}{71}$$

= **212 days**

**Throughput** = 
$$\frac{\text{Admission per year}}{\text{Average Available Beds}} = \frac{71}{43}$$

= **1.65 cases per bed per year**

**INPATIENT MORBIDITY, PAEDIATRIC WARD, 2004  
DISCHARGES (INCLUDING DEATHS) BY MAIN DIAGNOSIS, SEX AND AGE**

Table 49

ICD (a) CODES	DESCRIPTION	BOTH SEXES	% OF DISCHARGES	TOTAL M	TOTAL F	AGE-GROUP (YEARS) & SEX									
						0		1 - 4		5 - 9		10 - 14		15&+	
						M	F	M	F	M	F	M	F	M	F
002	Typhoid and paratyphoid fevers	1	0.06%	0	1	0	1	0	0	0	0	0	0	0	0
003	Shigellosis	1	0.06%	0	1	0	0	0	0	0	1	0	0	0	0
004	Amoebiasis	3	0.18%	3	0	1	0	0	0	1	0	1	0	0	0
005	Diarrhoea and gastroenteritis of presumed infectious origin	130	7.64%	68	62	23	24	28	27	15	11	2	0	0	0
006	Other intestinal infectious diseases	22	1.29%	13	9	2	4	6	3	2	2	3	0	0	0
015	Whooping Cough	1	0.06%	1	0	0	0	1	0	0	0	0	0	0	0
017	Septicaemia	4	0.24%	3	1	3	1	0	0	0	0	0	0	0	0
018	Other bacterial diseases	10	0.59%	5	5	0	0	4	2	0	1	1	2	0	0
030	Viral encephalitis	1	0.06%	1	0	0	0	0	0	1	0	0	0	0	0
034	Varicella and zoster	3	0.18%	2	1	0	0	1	0	1	0	0	1	0	0
041	Other viral diseases	91	5.35%	54	37	8	9	23	14	17	11	6	3	0	0
042	Mycosis	1	0.06%	0	1	0	0	0	1	0	0	0	0	0	0
043	Malaria	3	0.18%	3	0	0	0	1	0	2	0	0	0	0	0
053	Other helminthiasis	2	0.12%	1	1	0	0	1	1	0	0	0	0	0	0
057	Other infectious and parasitic diseases	2	0.12%	2	0	0	0	0	0	2	0	0	0	0	0
096	Other in situ and benign neoplasms and neoplasms of uncertain and unknown behaviour	1	0.06%	0	1	0	0	0	1	0	0	0	0	0	0
097	Iron deficiency anaemia	10	0.59%	7	3	2	1	5	1	0	1	0	0	0	0
098	Other anaemias	10	0.59%	7	3	0	0	0	0	2	0	5	3	0	0
099	Haemorrhagic conditions and other diseases of blood and blood-forming organs	5	0.29%	1	4	0	0	0	4	0	0	1	0	0	0
102	Thyrotoxicosis	1	0.06%	0	1	0	0	0	0	0	0	0	1	0	0
104	Diabetes mellitus	10	0.59%	0	10	0	0	0	0	0	4	0	6	0	0
107	Other vitamin deficiencies	1	0.06%	1	0	1	0	0	0	0	0	0	0	0	0
110	Volume depletion	1	0.06%	1	0	0	0	1	0	0	0	0	0	0	0
111	Other endocrine, nutritional and metabolic disorders	7	0.41%	5	2	0	1	0	1	0	0	5	0	0	0
115	Schizophrenia, schizotypal, and somatoform disorders	1	0.06%	1	0	0	0	0	0	1	0	0	0	0	0
117	Neurotic, stress-related, and somatoform disorders	2	0.12%	0	2	0	0	0	0	0	0	0	2	0	0
120	Inflammatory diseases of the central nervous system	3	0.18%	2	1	1	0	0	0	1	1	0	0	0	0
124	Epilepsy	24	1.41%	13	11	0	0	4	4	4	4	5	3	0	0
125	Migraine and other headache syndromes	4	0.24%	1	3	0	0	0	1	1	0	0	2	0	0
127	Nerve, nerve root and plexus disorders	2	0.12%	2	0	0	0	0	0	1	0	1	0	0	0
128	Cerebral palsy and other paralytic syndrome	4	0.24%	4	0	0	0	2	0	1	0	1	0	0	0

**INPATIENT MORBIDITY, PAEDIATRIC WARD, 2004  
DISCHARGES (INCLUDING DEATHS) BY MAIN DIAGNOSIS, SEX AND AGE**

Table 49

ICD (a) CODES	DESCRIPTION	BOTH SEXES	% OF DISCHARGES	TOTAL M	TOTAL F	AGE-GROUP (YEARS) & SEX									
						0		1 - 4		5 - 9		10 - 14		15&+	
						M	F	M	F	M	F	M	F	M	F
129	Other diseases of the nervous	3	0.18%	3	0	0	0	1	0	2	0	0	0	0	0
130	Inflammation of eyelid	1	0.06%	0	1	0	0	0	1	0	0	0	0	0	0
131	Conjunctivitis and other disorders of conjunctiva	3	0.18%	2	1	0	0	2	1	0	0	0	0	0	0
133	Cataract and other disorders of lens	2	0.12%	1	1	0	0	0	0	1	1	0	0	0	0
136	Strabismus	4	0.24%	1	3	0	0	0	1	0	0	1	2	0	0
139	Other diseases of the eye and adnexa	2	0.12%	2	0	0	0	0	0	0	0	2	0	0	0
140	Otitis media and other disorders of middle ear and mastoid	58	3.41%	38	20	15	4	21	15	2	0	0	1	0	0
142	Other diseases of the ear and mastoid process	4	0.24%	0	4	0	3	0	1	0	0	0	0	0	0
164	Other diseases of the circulatory system	5	0.29%	4	1	1	0	2	1	0	0	1	0	0	0
165	Acute pharyngitis and acute tonsillitis	34	2.00%	21	13	2	1	16	9	3	3	0	0	0	0
167	Other acute upper respiratory infections	28	1.65%	18	10	5	2	12	7	1	1	0	0	0	0
168	Infuenza	2	0.12%	1	1	0	1	1	0	0	0	0	0	0	0
169	Pneumonia	99	5.82%	47	52	9	8	32	33	6	10	0	1	0	0
170	Acute bronchitis and acute bronchiolitis	70	4.11%	39	31	30	24	7	7	1	0	1	0	0	0
172	Other diseases of nose and nasal sinuses	3	0.18%	1	2	1	2	0	0	0	0	0	0	0	0
173	Chronic disease of tonsils and adenoid	64	3.76%	32	32	0	1	13	11	16	19	3	1	0	0
174	Other diseases of upper respiratory tract	32	1.88%	19	13	10	8	8	5	0	0	1	0	0	0
175	Bronchitis, emphysema and other chronic obstructive pulmonary diseases	10	0.59%	8	2	1	0	5	1	2	1	0	0	0	0
176	Asthma	178	10.46%	117	61	5	5	76	36	29	17	7	3	0	0
179	Other diseases of the respiratory system	14	0.82%	11	3	1	0	7	3	2	0	1	0	0	0
181	Other disorders of teeth and supporting structures	6	0.35%	5	1	0	0	1	1	3	0	1	0	0	0
182	Other diseases of the oral cavity, salivary glands and jaws	1	0.06%	1	0	0	0	1	0	0	0	0	0	0	0
184	Gastritis and duodenitis	10	0.59%	5	5	0	1	2	4	2	0	1	0	0	0
185	Other diseases of oesophagus, stomach and duodenum	1	0.06%	1	0	0	0	0	0	1	0	0	0	0	0
186	Diseases of appendix	22	1.29%	16	6	1	0	1	0	9	4	5	2	0	0
187	Inguinal hernia	18	1.06%	12	6	2	0	6	4	4	2	0	0	0	0
188	Other hernia	16	0.94%	8	8	2	0	6	7	0	1	0	0	0	0
190	Paralytic ileus and intestinal obstruction without hernia	1	0.06%	0	1	0	1	0	0	0	0	0	0	0	0
192	Other diseases of intestines and peritoneum	7	0.41%	4	3	0	0	2	1	2	2	0	0	0	0
194	Other diseases of the liver	1	0.06%	1	0	0	0	1	0	0	0	0	0	0	0

**INPATIENT MORBIDITY, PAEDIATRIC WARD, 2004  
DISCHARGES (INCLUDING DEATHS) BY MAIN DIAGNOSIS, SEX AND AGE**

Table 49

ICD (a) CODES	DESCRIPTION	BOTH SEXES	% OF DISCHARGES	TOTAL	AGE-GROUP (YEARS) & SEX											
					0		1 - 4		5 - 9		10 - 14		15&+			
					M	F	M	F	M	F	M	F	M	F		
197	Other diseases of the digestive system	1	0.06%	0	1	0	1	0	0	0	0	0	0	0	0	
198	Infections of the skin and subcutaneous tissue	46	2.70%	34	12	6	6	9	3	13	1	6	2	0	0	
199	Other diseases of skin and subcutaneous tissue	22	1.29%	15	7	4	2	4	3	6	1	1	1	0	0	
200	Rheumatoid arthritis and other inflammatory polyarthropathies	2	0.12%	1	1	0	0	1	1	0	0	0	0	0	0	
203	Other disorders of joints	7	0.41%	3	4	0	1	3	2	0	0	0	1	0	0	
206	Other dorsopathies	2	0.12%	1	1	0	0	1	0	0	0	0	1	0	0	
207	Soft tissue disorders	8	0.47%	3	5	0	0	0	2	3	2	0	1	0	0	
209	Osteomyelitis	3	0.18%	3	0	0	0	0	0	3	0	0	0	0	0	
210	Other diseases of the musculoskeletal system and connective tissue	4	0.24%	4	0	0	0	0	0	4	0	0	0	0	0	
212	Other glomerular diseases	4	0.24%	3	1	0	0	2	0	1	0	0	1	0	0	
213	Renal tubulo-interstitial diseases	3	0.18%	3	0	2	0	0	0	1	0	0	0	0	0	
216	Cystitis	1	0.06%	0	1	0	0	0	0	0	1	0	0	0	0	
217	Other diseases of the urinary system	25	1.47%	14	11	7	2	4	7	1	1	2	1	0	0	
220	Hydrocele and spermatocele	5	0.29%	5	0	1	0	4	0	0	0	0	0	0	0	
221	Redundant prepuce, phimosis and paraphimosis	1	0.06%	1	0	0	0	0	0	1	0	0	0	0	0	
222	Other disorders of male genital organs	3	0.18%	3	0	0	0	3	0	0	0	0	0	0	0	
223	Disorders of the breast	1	0.06%	0	1	0	0	0	0	0	0	0	1	0	0	
247	Birth Trauma	1	0.06%	0	1	0	1	0	0	0	0	0	0	0	0	
249	Other respiratory disorders originating in the perinatal period	2	0.12%	2	0	2	0	0	0	0	0	0	0	0	0	
250	Congenital infectious and parasitic diseases	10	0.59%	5	5	5	5	0	0	0	0	0	0	0	0	
251	Other infections specific to the perinatal period	9	0.53%	4	5	4	5	0	0	0	0	0	0	0	0	
253	Other conditions originating in the perinatal period	8	0.47%	4	4	4	4	0	0	0	0	0	0	0	0	
256	Congenital malformations of the circulatory system	3	0.18%	0	3	0	0	0	3	0	0	0	0	0	0	
259	Other congenital malformations of the digestive system	2	0.12%	1	1	0	1	1	0	0	0	0	0	0	0	
260	Undescended testicle	1	0.06%	1	0	0	0	0	0	0	0	1	0	0	0	
261	Other malformations of the genitourinary system	2	0.12%	1	1	0	1	0	0	0	0	1	0	0	0	

**INPATIENT MORBIDITY, PAEDIATRIC WARD, 2004  
DISCHARGES (INCLUDING DEATHS) BY MAIN DIAGNOSIS, SEX AND AGE**

Table 49

ICD (a) CODES	DESCRIPTION	BOTH SEXES	% OF DISCHARGES	TOTAL M	TOTAL F	AGE-GROUP (YEARS) & SEX									
						0		1 - 4		5 - 9		10 - 14		15&+	
						M	F	M	F	M	F	M	F	M	F
265	Other congenital malformations	3	0.18%	3	0	3	0	0	0	0	0	0	0	0	0
267	Abdominal and pelvic pain	26	1.53%	16	10	0	1	4	2	7	1	5	6	0	0
268	Fever of unknown origin	6	0.35%	6	0	0	0	4	0	1	0	1	0	0	0
270	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	84	4.94%	54	30	8	6	28	18	14	3	4	3	0	0
271	Fracture of skull and facial bones	2	0.12%	2	0	0	0	1	0	1	0	0	0	0	0
273	Fracture of femur	4	0.24%	3	1	0	0	0	0	0	1	3	0	0	0
274	Fractures of other limb bones	80	4.70%	55	25	3	1	13	8	30	12	9	4	0	0
275	Fractures involving multiple body regions	1	0.06%	0	1	0	0	0	0	0	0	0	1	0	0
276	Dislocations, sprains and strains of specified and multiple body regions	6	0.35%	3	3	0	0	0	0	1	1	2	2	0	0
277	Injury of eye and orbit	2	0.12%	1	1	0	0	0	0	1	1	0	0	0	0
278	Intracranial injury	1	0.06%	1	0	0	0	0	0	1	0	0	0	0	0
280	Crushing injuries and traumatic amputations of specified and multiple body regions	5	0.29%	3	2	0	0	2	0	1	1	0	1	0	0
281	Other injuries of specified, unspecified and multiple body regions	97	5.70%	60	37	3	3	18	15	30	16	9	3	0	0
282	Effect of foreign body entering through natural orifice	12	0.71%	8	4	3	0	4	3	0	0	1	1	0	0
283	Burns and corrosions	16	0.94%	10	6	2	2	6	2	2	0	0	2	0	0
284	Poisoning by drugs and biological substances	17	1.00%	13	4	1	0	11	3	1	1	0	0	0	0
285	Toxic effects of substances chiefly nonmedicinal as to source	16	0.94%	6	10	0	0	5	4	1	4	0	2	0	0
286	Maltreatment syndrome	1	0.06%	0	1	0	0	0	0	0	0	0	1	0	0
287	Other and unspecified effects of external causes	13	0.76%	11	2	1	1	5	1	3	0	2	0	0	0
288	Certain early complications of trauma and complications of surgical and medical care, not elsewhere classified	6	0.35%	3	3	0	1	3	2	0	0	0	0	0	0

**INPATIENT MORBIDITY, PAEDIATRIC WARD, 2004  
DISCHARGES (INCLUDING DEATHS) BY MAIN DIAGNOSIS, SEX AND AGE**

Table 49

ICD (a) CODES	DESCRIPTION	BOTH SEXES	% OF DISCHARGES	TOTAL M	TOTAL F	AGE-GROUP (YEARS) & SEX									
						0		1 - 4		5 - 9		10 - 14		15&+	
						M	F	M	F	M	F	M	F	M	F
297	Persons encountering health services for specific procedures and health care	67	3.94%	54	13	6	1	23	6	18	4	7	2	0	0
298	Persons encountering health services for other reasons	1	0.06%	0	1	0	0	0	0	0	0	0	1	0	0
<b>ALL CASES</b>		<b>1702</b>	<b>100.00%</b>	<b>1042</b>	<b>660</b>	<b>191</b>	<b>147</b>	<b>459</b>	<b>294</b>	<b>283</b>	<b>148</b>	<b>109</b>	<b>71</b>	<b>0</b>	<b>0</b>

Source : Statistics Unit - Division of Health Planning and Information - Department of Health

Note : (a) W.H.O. International Classification of Diseases, 1994 (10th) Edition - Tabulation list for morbidity

M = Male, F = Female